



ATLAS METAL

# PRICE BOOK 2020



## OUR MOST IMPORTANT PIECE OF MACHINERY.



Hi, we're Atlas and we take a hands-on  
approach to everything we do.

## WE BELIEVE IN THE POWER OF OUR HANDS.

Our hands have molded steel.

Trained in the school of hard knocks.

Our hands have rounded corners.

Welded edges.

Set rivets.

Programmed lasers.

And molded generations.

Our hands never compromise.

And never compromising on quality  
means never compromising for our customers.

We are Atlas Metal.

**And we're Making Metal Personal.**




# NOT ALL EQUIPMENT IS CREATED EQUAL.

We pride ourselves on handcrafting the finest serving equipment on the market. Everything we make was made to stand the test of time. In person, you can do a shake test, sound test and sight test to see why we're superior to the competition. Here, you'll have to take our word for it; but good news for you, we stand by our word.

## FINISHED EDGES

Smooth, beautiful and made to last.


We're not just talking about our people. We're also talking about our equipment. All of our serving lines and drop-ins are built with clean, finished edges, meaning there's no tearing or ripping of clothes and nowhere for food messes to hide.



## THICK GAUGE STEEL

Instead of stretching our metal, we bend it. The result is consistently thick steel.


When we make drop-ins, we make them to last. Most manufacturers heat and press the metal, resulting in thinner drop-ins that don't stand up to wear and tear. We form ours so we have consistently thick metal all the way around.



## PRE-INSTALLED GASKETS

We think it's a shame when you're left to finish what we started.

Often times drop-ins come with gaskets you install yourself. We think it's best to judge a company by their attention to detail. All of our gaskets come pre-installed, meaning less work for you and a guarantee the job is done right.



## THICK INSULATION

We don't take insulation lightly, so we put heavy-duty insulation in every unit.

You can hear it when you bang on the sides. And while the competitors sound hollow, ours dampens the sound from the inside. That's because we've packed everything full of insulation, resulting in a more efficient product.





TABLE OF CONTENTS

INSPIRED, NEVER-ENDING POSSIBILITIES.

INFINITI from Atlas Metal

Fully Customizable • True Craftsmanship • Form & Function • Endless Versatility



- All-welded 16-gauge stainless steel construction offers clean lines and a lifetime of performance
- The freedom to choose straight or curved edges opens the door for visually striking setups
- Sloped panels, lighting accessories and many more custom options accentuate food offerings
- Our company’s renowned reputation for customer service and guaranteed satisfaction delivers total confidence



**MOBILE MODULAR FOOD SERVING SYSTEMS**

Overview ..... 8

INFINITI FIT Series ..... 10

BL Series ..... 14

CA Series ..... 23

Optional Accessories ..... 34

**DROP-IN SERVING EQUIPMENT**

Hot, Cold & Refrigerated Pans, Frost Top,  
Display Case, Dual-Temp Pans, Ice Cream Freezer,  
Drains and Countertop Ice Pans ..... 38

Special Stainless Steel Adapter Plates ..... 48

Slim-Line Pans, Ice Cream Freezer,  
Water Station, Ice Chest and Bases ..... 50

Electrical Power Requirements ..... 55

**SELF-LEVELING DISPENSERS**

Dish & Platter Dispensers (Drop-In),  
Dish (Mobile Enclosed or Open), Tray & Rack ..... 58

**ACCESSORIES** ..... 67

**MODIFICATION PRICE LIST** ..... 69

**MANUFACTURERS’ REPRESENTATIVE LOCATOR** ..... 74

**ORDER INFORMATION** ..... Inside Back Cover



# ATLAS PROVIDES THE MOST VERSATILITY.

We're here to help you find serving equipment that meets your needs, whether you're replacing, remodeling or starting fresh.

Along with offering a large inventory and quick delivery, our staff and field representatives will be happy to provide you with technical support and information every step of the way. It's all part of our hands-on approach.

And it's all part of how we're making metal personal.

## FIND WHAT WORKS FOR YOU.

Atlas offers three mobile modular serving line systems. To help in your research and selection process, we've outlined below the key features available on each line. Choosing the right lineup for your needs is paramount, so please don't hesitate to call us at 800.762.7565 and ask for our dedicated Atlas Customer Service and Sales team to help with your decision making.


# MOBILE MODULAR FOOD SERVING SYSTEMS (KEY FEATURES)

INFINITI FIT SERIES							
16 gauge stainless steel top	Stainless steel frame	Hidden frame on front; exposed frame only in back	Comes standard with front & end panels	Locking horns (spring activated)	Built-in units	Single cord & plug	Undershelf standard on all units (excludes #2 & #3 carts with condensing units)


BL SERIES							
16 gauge stainless steel top	Aluminum frame	Exposed frame construction (3" extruded vertical corners)	Comes standard with front & end panels	Cam locking device	Built-in units	Single cord & plug	Undershelf on BLU units only

CA SERIES							
16 gauge stainless steel top	Aluminum frame	Exposed frame construction (1-1/4" x 1-1/4" tubing)	Comes standard with front panel	Locking horns (spring activated)	Drop-in units w/flange	Multiple cords & plugs	Undershelf on CAFT units only


INFINITI FIT SERIES

 INFFT-3	SOLID TOP UTILITY UNITS				
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	INFFT-1	Solid Top Utility Unit	24 x 31-1/4 x 35	168	\$5,840
	INFFT-2	Solid Top Utility Unit	36-1/4 x 31-1/4 x 35	204	\$5,906
	INFFT-3	Solid Top Utility Unit	50 x 31-1/4 x 35	228	\$6,148
	INFFT-4	Solid Top Utility Unit	63-3/4 x 31-1/4 x 35	264	\$6,380
	INFFT-5	Solid Top Utility Unit	77-1/2 x 31-1/4 x 35	306	\$7,024
	INFFT-6	Solid Top Utility Unit	91-1/4 x 31-1/4 x 35	360	\$7,134

HOT SERVING UNITS Single Control					
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
INFH-2	Hot Serving Unit - Single Control	36-1/4 x 31-1/4 x 35	1.7KW-14.2 Amps-120V-1 Ph.	190	\$8,954
INFH-3	Hot Serving Unit - Single Control	50 x 31-1/4 x 35	2.55KW-12.3 Amps-208V-1 Ph.	242	\$9,580
INFH-4	Hot Serving Unit - Single Control	63-3/4 x 31-1/4 x 35	3.4KW-16.3 Amps-208V-1 Ph.	294	\$10,182
INFH-5	Hot Serving Unit - Single Control	77-1/2 x 31-1/4 x 35	4.25KW-20.4 Amps-208V-1 Ph.	346	\$11,166
INFH-6	Hot Serving Unit - Single Control	91-1/4 x 31-1/4 x 35	5.1KW-24.5 Amps-208V-1 Ph.	416	\$11,598




INFH-3


 INFIH-3	HOT SERVING UNITS Individual Controls					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	INFIH-2	Hot Serving Unit - Individual Controls	36-1/4 x 31-1/4 x 35	1.7KW-14.2 Amps-120V-1 Ph.	240	\$9,006
	INFIH-3	Hot Serving Unit - Individual Controls	50 x 31-1/4 x 35	2.55KW-12.3 Amps-208V-1 Ph.	270	\$9,848
	INFIH-4	Hot Serving Unit - Individual Controls	63-3/4 x 31-1/4 x 35	3.4KW-16.3 Amps-208V-1 Ph.	318	\$10,682
	INFIH-5	Hot Serving Unit - Individual Controls	77-1/2 x 31-1/4 x 35	4.25KW-20.4 Amps-208V-1 Ph.	372	\$11,892
	INFIH-6	Hot Serving Unit - Individual Controls	91-1/4 x 31-1/4 x 35	5.1KW-24.5 Amps-208V-1 Ph.	444	\$12,564

INFINITI FIT SERIES


HOT SERVING UNITS Single Control with Offset Top					
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
INFIHOT-2	Hot Serving Unit - Single Control - Offset Top	36-1/4 x 31-1/4 x 35	1.7KW-14.2 Amps-120V-1 Ph.	294	\$9,070
INFIHOT-3	Hot Serving Unit - Single Control - Offset Top	50 x 31-1/4 x 35	2.55KW-12.3 Amps-208V-1 Ph.	300	\$9,922
INFIHOT-4	Hot Serving Unit - Single Control - Offset Top	63-3/4 x 31-1/4 x 35	3.4KW-16.3 Amps-208V-1 Ph.	342	\$10,768
INFIHOT-5	Hot Serving Unit - Single Control - Offset Top	77-1/2 x 31-1/4 x 35	4.25KW-20.4 Amps-208V-1 Ph.	396	\$11,990
INFIHOT-6	Hot Serving Unit - Single Control - Offset Top	91-1/4 x 31-1/4 x 35	5.1KW-24.5 Amps-208V-1 Ph.	444	\$12,670




INFIHOT-3

 INFHB-3	HOT SERVING UNITS Individual Controls & Heated Base					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	INFHB-3	Hot Serving Unit - Individual Controls - Heated Base	50 x 31-1/4 x 35	16.3 Amps-3 Wire-208V-1 Ph.	502	\$13,094
	INFHB-4	Hot Serving Unit - Individual Controls - Heated Base	63-3/4 x 31-1/4 x 35	20.4 Amps-3 Wire-208V-1 Ph.	624	\$13,926
	INFHB-5	Hot Serving Unit - Individual Controls - Heated Base	77-1/2 x 31-1/4 x 35	24.5 Amps-3 Wire-208V-1 Ph.	742	\$14,874

ICE PAN SERVING UNITS				
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
INFIC-2	Ice Pan Serving Unit	36-1/4 x 31-1/4 x 35	198	\$7,826
INFIC-3	Ice Pan Serving Unit	50 x 31-1/4 x 35	252	\$8,210
INFIC-4	Ice Pan Serving Unit	63-3/4 x 31-1/4 x 35	330	\$8,730
INFIC-5	Ice Pan Serving Unit	77-1/2 x 31-1/4 x 35	396	\$9,536
INFIC-6	Ice Pan Serving Unit	91-1/4 x 31-1/4 x 35	462	\$9,720





INFIC-3


 INFRM-3	REFRIGERATED SERVING UNITS 3" Recessed Top (NSF-7)					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	INFRM-2	Refrigerated Serving Unit - 3" Recessed Top (NSF-7)	36-1/4 x 31-1/4 x 35	6.0 Amps-120V-1/4 HP	330	\$12,114
	INFRM-3	Refrigerated Serving Unit - 3" Recessed Top (NSF-7)	50 x 31-1/4 x 35	6.0 Amps-120V-1/4 HP	390	\$12,536
	INFRM-4	Refrigerated Serving Unit - 3" Recessed Top (NSF-7)	63-3/4 x 31-1/4 x 35	7.8 Amps-120V-1/3 HP	462	\$12,864
	INFRM-5	Refrigerated Serving Unit - 3" Recessed Top (NSF-7)	77-1/2 x 31-1/4 x 35	10.7 Amps-120V-1/2 HP	522	\$14,132
	INFRM-6	Refrigerated Serving Unit - 3" Recessed Top (NSF-7)	91-1/4 x 31-1/4 x 35	10.7 Amps-120V-1/2 HP	672	\$14,392




INFINITI FIT SERIES


 INFRF-3	REFRIGERATED SERVING UNITS Frost Top					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	INFRF-2	Refrigerated Serving Unit - Frost Top	36-1/4 x 31-1/4 x 35	2.3 Amps-120V-1/5 HP	264	\$11,802
	INFRF-3	Refrigerated Serving Unit - Frost Top	50 x 31-1/4 x 35	6.8 Amps-120V-1/4 HP	330	\$12,380
	INFRF-4	Refrigerated Serving Unit - Frost Top	63-3/4 x 31-1/4 x 35	9.8 Amps-120V-1/3 HP	390	\$13,020
	INFRF-5	Refrigerated Serving Unit - Frost Top	77-1/2 x 31-1/4 x 35	9.8 Amps-120V-1/3 HP	438	\$14,366
	INFRF-6	Refrigerated Serving Unit - Frost Top	91-1/4 x 31-1/4 x 35	10.7 Amps-120V-1/2 HP	564	\$14,594


REFRIGERATED SERVING UNITS Frost Top & Refrigerated Base						 INFFB-4
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE	
INFFB-4	Refrigerated Serving Unit - Frost Top - Refrigerated Base	63-3/4 x 31-1/4 x 35	16.6 Amps-120V-1/3 & 1/4 HP	794	\$26,480	
INFFB-5	Refrigerated Serving Unit - Frost Top - Refrigerated Base	77-1/2 x 31-1/4 x 35	16.6 Amps-120V-1/3 & 1/4 HP	918	\$30,026	



 INFTR-4	SOLID UTILITY TOP UNITS Refrigerated Base					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	INFTR-4	Solid Utility Top Unit - Refrigerated Base	63-3/4 x 31-1/4 x 35	6.8 Amps-120V-1/4 HP	546	\$19,840
	INFTR-5	Solid Utility Top Unit - Refrigerated Base	77-1/2 x 31-1/4 x 35	6.8 Amps-120V-1/4 HP	650	\$22,684

REFRIGERATED SERVING UNITS Refrigerated Pass Through Display Case						 INFPT-3
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE	
INFPT-3	Refrigerated Serving Unit - Refrigerated Pass Through Display Case	50 x 31-1/4 x 35	11.0 Amps-120V-1/2 HP	768	\$27,474	
INFPT-4	Refrigerated Serving Unit - Refrigerated Pass Through Display Case	63-3/4 x 31-1/4 x 35	11.0 Amps-120V-1/2 HP	884	\$27,874	

INFINITI FIT SERIES


HOT & REFRIGERATED SERVING UNITS Dual Temperature - Hot or Cold Service						 INFHC-3
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE	
INFHC-2	Hot & Refrigerated Serving Unit - Dual Temp. - Hot or Cold Service	36-1/4 x 31-1/4 x 35	HOT: 2.0KW-16.7 Amps-120V-1 Ph. COLD: 6.0 Amps-120V-1/4 HP	390	\$13,270	
INFHC-3	Hot & Refrigerated Serving Unit - Dual Temp. - Hot or Cold Service	50 x 31-1/4 x 35	HOT: 2.0KW-16.7 Amps-120V-1 Ph. COLD: 6.0 Amps-120V-1/4 HP	482	\$13,790	
INFHC-4	Hot & Refrigerated Serving Unit - Dual Temp. - Hot or Cold Service	63-3/4 x 31-1/4 x 35	HOT: 3.0KW-14.5 Amps-208V-1 Ph. COLD: 7.8 Amps-120V-1/3 HP	560	\$14,246	
INFHC-5	Hot & Refrigerated Serving Unit - Dual Temp. - Hot or Cold Service	77-1/2 x 31-1/4 x 35	HOT: 4.0KW-19.3 Amps-208V-1 Ph. COLD: 10.7 Amps-120V-1/2 HP	618	\$15,368	
INFHC-6	Hot & Refrigerated Serving Unit - Dual Temp. - Hot or Cold Service	91-1/4 x 31-1/4 x 35	HOT: 4.0KW-19.3 Amps-208V-1 Ph. COLD: 10.7 Amps-120V-1/2 HP	736	\$15,630	

 INFDF-3	REFRIGERATED SERVING UNITS Ice Cream Freezer					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	INFDF-2	Refrigerated Serving Unit - Ice Cream Freezer	36-1/4 x 31-1/4 x 35	6.8 Amps-120V-1/4 HP	325	\$11,670
	INFDF-3	Refrigerated Serving Unit - Ice Cream Freezer	50 x 31-1/4 x 35	6.8 Amps-120V-1/4 HP	872	\$12,208


CASHIER & CORNER UNITS					 INFCS	 INFCC
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE		
INFCS	Cashier Unit	24-1/4 x 31-1/4 x 35	180	\$6,652		
INFCC	Corner Unit	31-1/4 x 31-1/4 x 35	186	\$6,298		



BL SERIES - CAFETERIA STYLE WITH OPEN BASE

 BLH-3	HOT SERVING UNITS Optional Drain & Manifold					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	BLH-2	(2) 12 x 20 x 6" Hot Food Wells with Open Base	36-1/4 x 30-1/2 x 35	1.7KW-14.2 Amps-120V-1 Ph.	245	\$6,422
	BLH-3	(3) 12 x 20 x 6" Hot Food Wells with Open Base	50 x 30-1/2 x 35	2.55KW-12.3 Amps-208V-1 Ph.	270	\$7,782
	BLH-4	(4) 12 x 20 x 6" Hot Food Wells with Open Base	63-3/4 x 30-1/2 x 35	3.4KW-16.3 Amps-208V-1 Ph.	310	\$9,128
	BLH-5	(5) 12 x 20 x 6" Hot Food Wells with Open Base	77-1/2 x 30-1/2 x 35	4.25KW-20.4 Amps-208V-1 Ph.	355	\$10,634
	BLH-6	(6) 12 x 20 x 6" Hot Food Wells with Open Base	91-1/4 x 30-1/2 x 35	5.1KW-24.5 Amps-208V-1 Ph.	415	\$12,162
<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS - 250.						

HOT SERVING UNITS WITH OFFSET TOP					
Optional Drain & Manifold					
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
BLH-2-OT	(2) 12 x 20 x 6" Hot Food Wells with Open Base (1) 18 x 26 Pan	36-1/4 x 30-1/2 x 35	1.7KW-14.2 Amps-120V-1 Ph.	290	\$7,258
BLH-3-OT	(3) 12 x 20 x 6" Hot Food Wells with Open Base (2) 18 x 26 Pans	50 x 30-1/2 x 35	2.55KW-12.3 Amps-208V-1 Ph.	315	\$8,588
BLH-4-OT	(4) 12 x 20 x 6" Hot Food Wells with Open Base (3) 18 x 26 Pans	63-3/4 x 30-1/2 x 35	3.4KW-16.3 Amps-208V-1 Ph.	345	\$9,900
BLH-5-OT	(5) 12 x 20 x 6" Hot Food Wells with Open Base (4) 18 x 26 Pans	77-1/2 x 30-1/2 x 35	4.25KW-20.4 Amps-208V-1 Ph.	370	\$11,302
BLH-6-OT	(6) 12x20 x 6" Hot Food Wells with Open Base (5) 18 x 26 Pans	91-1/4 x 30-1/2 x 35	5.1KW-24.5 Amps-208V-1 Ph.	410	\$12,830
<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS - 250.					




BLH-3-OT

ACCESSORIES

CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
D	Individual drain and valve for each well	8	\$332	12	\$486	16	\$648	20	\$796	24	\$956
DM	Individual drain for each well with manifold to single valve	15	\$484	20	\$718	25	\$944	30	\$1,164	35	\$1,408
DME	Individual drain for each well with manifold to single valve w/rear extension	15	\$796	20	\$1,026	25	\$1,252	30	\$1,486	35	\$1,726
DMVE	Individual drain with valve for each well with manifold to single valve w/rear extension	20	\$926	25	\$1,230	30	\$1,520	35	\$1,808	40	\$2,104
AMC	Apron mounted controls	-	\$708	-	\$858	-	\$1,010	-	\$1,200	-	\$1,320

BL SERIES - CAFETERIA STYLE WITH OPEN BASE

SOLID TOP UTILITY UNITS With Undershelf				
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
BLU-1	Basic Utility Unit	24 x 30-1/2 x 35	220	\$3,806
BLU-2	Basic Utility Unit	36-1/4 x 30-1/2 x 35	250	\$4,214
BLU-3	Basic Utility Unit	50 x 30-1/2 x 35	270	\$4,792
BLU-4	Basic Utility Unit	63-3/4 x 30-1/2 x 35	300	\$5,164
BLU-5	Basic Utility Unit	77-1/2 x 30-1/2 x 35	335	\$5,774
BLU-6	Basic Utility Unit	91-1/4 x 30-1/2 x 35	380	\$6,824
<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS - 250.				



BLU-3

BLU-1 ACCESSORIES

CODE	DESCRIPTION	SHIP WT. (LBS.)	PRICE
TS	Tray slide, 12" wide, S/S, solid, ribbed	25	\$926
SH	Work shelf, 8" wide, S/S, flat	25	\$652
USB	Bottom shelf, S/S	12	\$718
USM	Middle shelf, S/S	26	\$718
HD	Hinged door, S/S	10	\$830
REVERSA PANEL	(Front)	10	\$602
REVERSA PANEL	(Ends) per set	8	\$622
CD	Cash drawer, locking S/S	25	\$1,136
UT	Tool/Utility drawer 20-1/2" x 20-1/2" x 5"	20	\$940
ECT	40" wide extended cart top, 34" high (Contact Factory)	-	-




BL SERIES - CAFETERIA STYLE WITH OPEN BASE

ACCESSORIES

CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
BLSF	S/S Front panel	30	\$170	40	\$210	50	\$250	60	\$290	70	\$320
BLSE	S/S End panel (each)	10	\$170	10	\$170	10	\$170	10	\$170	10	\$170
SL-BL	S/S Legs in lieu of casters	-	\$614	-	\$614	-	\$614	-	\$614	-	\$614
CD	Cash drawer locking	25	\$1,136	25	\$1,136	25	\$1,136	25	\$1,136	25	\$1,136
UT	Tool/Utility drawer	20	\$942	20	\$942	20	\$942	20	\$942	20	\$942
FH	3" Ferruled hole in top	-	\$180	-	\$180	-	\$180	-	\$180	-	\$180
CO	Convenience Outlet with cord	2	\$374	2	\$374	2	\$374	2	\$374	2	\$374
CO-DUP	Duplex Receptacle	4	\$424	4	\$424	4	\$424	4	\$424	4	\$424
BIUD	Built-in Urn Drain in solid top	30	\$884	40	\$1,066	45	\$1,430	50	\$1,588	60	\$2,124
HD-1	Hinged Door, S/S (specify qty.)	10	\$830	5	\$306	5	\$306	5	\$306	5	\$306
P-CAST	5" Polyurethane casters 2 - w/brakes	-	\$340	-	\$340	-	\$340	-	\$340	-	\$340
RST	Reinforced S/S top	-	\$630	-	\$730	-	\$832	-	\$956	-	\$1,104
ECT	40" wide extended cart top, 34" high (Contact Factory)	-	-	-	-	-	-	-	-	-	-
MS	Master on/off switch	2	\$412	2	\$412	2	\$412	2	\$412	2	\$412

BL SERIES - CAFETERIA STYLE WITH OPEN BASE


HOT SERVING UNITS WITH HEATED BASE					
Optional Drain & Manifold					
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
BLH-3-H	(3) 12 x 20 x 6" Hot Food Wells, 850-Watt Heated Base with 2 Slide Assemblies for 12 x 20 Pans, 2-1/2" OC and 2 Hinged Doors	50 x 30-1/2 x 35	16.3 Amps-3 Wire-208V-1 Ph.	375	\$14,844
BLH-4-H	(4) 12 x 20 x 6" Hot Food Wells, 850-Watt Heated Base with 3 Slide Assemblies for 12 x 20 Pans, 2-1/2" OC and 2 Hinged Doors	63-3/4 x 30-1/2 x 35	20.4 Amps-3 Wire-208V-1 Ph.	420	\$17,092
BLH-5-H	(5) 12 x 20 x 6" Hot Food Wells, 850-Watt Heated Base with 4 Slide Assemblies for 12 x 20 Pans, 2-1/2" OC and 2 Hinged Doors	77-1/2 x 30-1/2 x 35	24.5 Amps-3 Wire-208V-1 Ph.	525	\$19,680
<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS - 250.					




BLH-3-H

ACCESSORIES

CODE	DESCRIPTION	-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
DME	Individual drain for each well w/manifold to single valve w/rear extension	20	\$1,026	25	\$1,252	30	\$1,486	35	\$1,726

 BLC-3	ICE COLD PAN SERVING UNITS				
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	BLC-2	Insulated Ice Cold Pan 25-1/2 x 19-7/8 x 4-5/8" deep with Open Base	36-1/4 x 30-1/2 x 35	187	\$5,414
	BLC-3	Insulated Ice Cold Pan 39-1/4 x 19-7/8 x 4-5/8" deep with Open Base	50 x 30-1/2 x 35	232	\$6,138
	BLC-4	Insulated Ice Cold Pan 53 x 19-7/8 x 4-5/8" deep with Open Base	63-3/4 x 30-1/2 x 35	297	\$6,858
	BLC-5	Insulated Ice Cold Pan 66-3/4 x 19-7/8 x 4-5/8" deep with Open Base	77-1/2 x 30-1/2 x 35	352	\$7,732
	BLC-6	Insulated Ice Cold Pan 80-1/2 x 19-7/8 x 4-5/8" deep with Open Base	91-1/4 x 30-1/2 x 35	409	\$9,028
	<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. Units furnished with stainless steel adapter bars. FREIGHT CLASS - 250.				


BL SERIES – CAFETERIA STYLE WITH OPEN BASE (NO BOTTOM SHELF)

 BLC-3-RM	REFRIGERATED COLD PAN UNITS 3" Recessed Top (NSF-7)					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	BLC-2-RM	Refrigerated Cold Pan 25-5/8 x 19-7/8 x 9" deep	36-1/4 x 30-1/2 x 35	6.0 Amps-120V-1/4 HP	312	\$11,040
	BLC-3-RM	Refrigerated Cold Pan 39-3/8 x 19-7/8 x 9" deep	50 x 30-1/2 x 35	6.0 Amps-120V-1/4 HP	365	\$11,674
	BLC-4-RM	Refrigerated Cold Pan 53-1/8 x 19-7/8 x 9" deep	63-3/4 x 30-1/2 x 35	7.8 Amps-120V-1/3 HP	425	\$12,292
	BLC-5-RM	Refrigerated Cold Pan 66-7/8 x 19-7/8 x 9" deep	77-1/2 x 30-1/2 x 35	10.7 Amps-120V-1/2 HP	505	\$13,288
	BLC-6-RM	Refrigerated Cold Pan 80-5/8 x 19-7/8 x 9" deep	91-1/4 x 30-1/2 x 35	10.7 Amps-120V-1/2 HP	600	\$14,322
	<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. Units furnished with stainless steel adapter bars. FREIGHT CLASS – 250. <b>NOTE:</b> For 220 volt – 50 cycle compressor, add \$384  REM-COMP – Remote Compressor on base of unit, Louvered S/S compartment, Remote on/off switch in Apron \$1,460 -5 lbs.					

FOR EXTENDED FIVE YEAR COMPRESSOR WARRANTY ADD \$125 NET

BL SERIES – BUFFET STYLE WITH ENCLOSED BASE (NO BOTTOM SHELF)

BUFFET COLD SERVING UNITS				
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
BLC-2-BU	Insulated Ice Cold Pan 25-1/2 x 19-7/8 x 4-5/8" deep	36-1/4 x 30-3/4 x 35	212	\$7,378
BLC-3-BU	Insulated Ice Cold Pan 39-1/4 x 19-7/8 x 4-5/8" deep	50 x 30-3/4 x 35	265	\$8,246
BLC-4-BU	Insulated Ice Cold Pan 53 x 19-7/8 x 4-5/8" deep	63-3/4 x 30-3/4 x 35	325	\$9,070
BLC-5-BU	Insulated Ice Cold Pan 66-3/4 x 19-7/8 x 4-5/8" deep	77-1/2 x 30-3/4 x 35	405	\$9,476
BLC-6-BU	Insulated Ice Cold Pan 80-1/2 x 19-7/8 x 4-5/8" deep	91-1/4 x 30-3/4 x 35	500	\$11,284
<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. Units furnished with stainless steel adapter bars. FREIGHT CLASS – 250.				



BLC-3-BU

BUFFET HOT SERVING UNITS  
Optional Drain & Manifold

MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
BLH-2-BU	(2) 12 x 20 x 6" Hot Food Wells	36-1/4 x 30-3/4 x 35	1.7KW-14.2 Amps-120V-1 Ph.	277	\$8,300
BLH-3-BU	(3) 12 x 20 x 6" Hot Food Wells	50 x 30-3/4 x 35	2.55KW-12.3 Amps-208V-1 Ph.	312	\$9,820
BLH-4-BU	(4) 12 x 20 x 6" Hot Food Wells	63-3/4 x 30-3/4 x 35	3.4KW-16.3 Amps-208V-1 Ph.	352	\$11,336
BLH-5-BU	(5) 12 x 20 x 6" Hot Food Wells	77-1/2 x 30-3/4 x 35	4.25KW-20.4 Amps-208V-1 Ph.	420	\$12,762
BLH-6-BU	(6) 12 x 20 x 6" Hot Food Wells	91-1/4 x 30-3/4 x 35	5.1KW-24.5 Amps-208V-1 Ph.	450	\$14,262
<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS – 250.  FOR COMMON DRAIN & MANIFOLD SEE PAGE 14 FOR PRICING.					



BLH-3-BU

REFRIGERATED COLD PAN UNITS  
3" Recessed Top (NSF-7)

MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
BLC-2-RM-BU	Refrigerated Cold Pan 25-5/8 x 19-7/8 x 9" deep	36-1/4 x 30-3/4 x 35	6.0 Amps-120V-1/4 HP	375	\$12,518
BLC-3-RM-BU	Refrigerated Cold Pan 39-3/8 x 19-7/8 x 9" deep	50 x 30-3/4 x 35	6.0 Amps-120V-1/4 HP	425	\$13,286
BLC-4-RM-BU	Refrigerated Cold Pan 53-1/8 x 19-7/8 x 9" deep	63-3/4 x 30-3/4 x 35	7.8 Amps-120V-1/3 HP	485	\$14,070
BLC-5-RM-BU	Refrigerated Cold Pan 66-7/8 x 19-7/8 x 9" deep	77-1/2 x 30-3/4 x 35	10.7 Amps-120V-1/2 HP	535	\$14,652
BLC-6-RM-BU	Refrigerated Cold Pan 80-5/8 x 19-7/8 x 9" deep	91-1/4 x 30-3/4 x 35	10.7 Amps-120V-1/2 HP	660	\$15,612
<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. Units furnished with stainless steel adapter bars. FREIGHT CLASS – 250. <b>NOTE:</b> For 220 volt – 50 cycle compressor, add \$384  REM-COMP – Remote Compressor on base of unit, Louvered S/S compartment, Remote on/off switch in Apron \$1,460 -5 lbs.					




BLC-3-RM-BU

FOR EXTENDED FIVE YEAR COMPRESSOR WARRANTY ADD \$125 NET






BL SERIES

 BLU-3-BU	BUFFET UTILITY SERVING UNITS With Undershelf				
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	BLU-2-BU	Flat Stainless Steel Top	36-1/4 x 30-3/4 x 35	220	\$6,096
	BLU-3-BU	Flat Stainless Steel Top	50 x 30-3/4 x 35	240	\$6,600
	BLU-4-BU	Flat Stainless Steel Top	63-3/4 x 30-3/4 x 35	270	\$7,324
	BLU-5-BU	Flat Stainless Steel Top	77-1/2 x 30-3/4 x 35	305	\$7,942
	BLU-6-BU	Flat Stainless Steel Top	91-1/4 x 30-3/4 x 35	355	\$9,090
	<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS - 250.				



TRAY AND SILVER CART					
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	CAPACITY (Type Container)	SHIP WT. (LBS.)	LIST PRICE
TC-2-S	Stainless Steel Silverware and Tray Cart	33 x 22-1/2 x 42	14 x 18" Trays 10 Silverware Cylinder Cutouts	120	\$3,544
<b>NOTE:</b> Unit has (4) corner bumpers and 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS - 250.					


  
TC-2-S

BL SERIES

ACCESSORIES


CODE	DESCRIPTION	BMM-1000		BLM-1		TC-2-S	
		WT.	PRICE	WT.	PRICE	WT.	PRICE
TS	Tray Slide, 12" wide, S/S Solid Ribbed	30	\$1,524	25	\$926	-	-
SH	Work Shelf, 8" wide, S/S Flat	-	-	25	\$652	-	-
RFD	Rear Fold-Down Door (BMM-1000)	15	\$1,652	-	-	-	-
-	External thermometer	-	\$394	-	-	-	-
CO	Convenience Outlet, with 6 ft. cord & plug 120V wired direct	-	-	2	\$374	-	-
CO-DUP	Duplex Receptacle	-	-	4	\$424	-	-
EFP	24" Extended front panel and tray slide (BLM-1-L or R)	-	-	20	\$1,702	-	-
PP	Urethane painted panels	-	\$448	-	\$448	-	-
PCYL	Plastic Silverware Cylinders ea. (TC-2-S) (10 Req'd)	-	-	-	-	1	\$20
-	Stainless Steel, Napkin Overshelf (TC-2-S)	-	-	-	-	40	\$548
TCRP	S/S Rear panel	-	-	-	-	-	\$594
TCPL	Plastic laminate exterior	-	-	-	-	-	\$396
FH	Ferruled hole in top	-	-	-	\$180	-	-



 BL-CU-O (CUSTOMER SIDE)	CORNER UNITS				
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	BL-CU-O	Outside Corner Unit with Fixed Tray Slide included	42 x 42 x 35*	200	\$5,110
	BL-CU-I	Inside Corner Unit no Tray Slide Open in Rear with S/S Bottom Shelf	30-1/2 x 30-1/2 x 35	200	\$3,810
	<b>NOTE:</b> Unit has 5" dia. swivel casters, two with locking brakes. *Includes Tray Slide. FREIGHT CLASS - 250.				



BL SERIES


 BLM-1	CASHIER UNITS				
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	BLM-1-R	Unit comes with Tray Slide on Cashier's Left	24 x 30-1/2 +12 x 35	150	\$5,164
	BLM-1-L	Unit comes with Tray Slide on Cashier's Right	24 x 30-1/2 +12 x 35	150	\$5,164
	BLM-1	Cashier Unit without Tray Slide	24 x 30-1/2 x 35	135	\$4,432
	BLM-1-BU	Cashier Unit, Dual Service, without Tray Slide	24 x 30-3/4 x 35	140	\$5,152
<b>NOTE:</b> S/S drawer, 14-3/4" x 16" x 3" deep and 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS - 250.					

ACCESSORIES

CODE	DESCRIPTION	PRICE
EFP	24" Extended Front Panel & Tray Slide	\$1,702



STAINLESS STEEL AUTO-LIFT TABLE					
MODEL	DIMENSIONS L x W x H (INCHES)	CASTER SIZE (INCHES)	STAINLESS STEEL TOP	SHIP WT. (LBS.)	LIST PRICE
LTM-2736-ME	36-3/4 x 31-1/4 x 35	5	5/8" Marine Edge	200	\$9,610
<b>NOTE:</b> Sizes other than standard are available. Prices on request. Minimum length of width is 30-1/2. FREIGHT CLASS - 250.					


  
LTM-2736-ME


ACCESSORIES

DESCRIPTION	SHIP WT. (LBS.)	PRICE
Locking brakes (set of 2)	2	\$48
Slides for 18 x 26" trays (4 sets, 4-1/8" spacing), stainless steel enclosure on two sides	50	\$2,132
Utensil rack	25	\$842
3" high roll rim top with drain	10	\$968

CA SERIES

UTILITY UNITS Solid Top With Undershelf				
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
CAFT-1	Stainless Steel Top	30-1/2 x 24 x 35	152	\$2,810
CAFT-2	Stainless Steel Top	30-1/2 x 36-1/4 x 35	200	\$3,188
CAFT-3	Stainless Steel Top	30-1/2 x 50 x 35	255	\$3,598
CAFT-4	Stainless Steel Top	30-1/2 x 63-3/4 x 35	310	\$4,060
CAFT-5	Stainless Steel Top	30-1/2 x 77-1/2 x 35	365	\$4,554
CAFT-6	Stainless Steel Top	30-1/2 x 91-1/4 x 35	420	\$5,246
<b>NOTE:</b> Stainless-CW available upon special request. FREIGHT CLASS - 250.				

  
CAFT-3

 CAH-3	HOT FOOD UNITS Electrically Heated - Single Control					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	CAH-2	Holds (2) 12 x 20" Pans 19-7/8 x 25-1/2 x 6" deep	30-1/2 x 36-1/4 x 35	1.7KW-14.2 Amps-120V	145	\$4,894
	CAH-3	Holds (3) 12 x 20" Pans 19-7/8 x 39-1/4 x 6" deep	30-1/2 x 50 x 35	2.55KW-12.3 Amps-208V	265	\$5,662
	CAH-4	Holds (4) 12 x 20" Pans 19-7/8 x 53 x 6" deep	30-1/2 x 63-3/4 x 35	3.4KW-16.3 Amps-208V	385	\$6,492
	CAH-5	Holds (5) 12 x 20" Pans 19-7/8 x 66-3/4 x 6" deep	30-1/2 x 77-1/2 x 35	4.25KW-20.4 Amps-208V	505	\$7,488
	CAH-6	Holds (6) 12 x 20" Pans 19-7/8 x 80-1/2 x 6" deep	30-1/2 x 91-1/4 x 35	5.1KW-24.5 Amps-208V	625	\$8,422
	<b>NOTE:</b> 1000 Watt heating elements are available: all 208 volt units are available in 240 volts; CAH-3 is also available in 120 volts - contact factory for electrical specifications. FREIGHT CLASS - 250.					






CA SERIES

CAFT-1 ACCESSORIES

CODE	DESCRIPTION	SHIP WT. (LBS.)	PRICE
S-1	S/S front panel	25	\$144
SL-1	Tray slide 2 bar	25	\$608
SLF-1	Tray slide, plastic laminate	25	\$962
SLT-1	Tray slide, 11-1/4" wide, S/S, 3-rail	25	\$646
SLS-1	Tray slide, 11-1/4" wide, S/S, solid, ribbed	25	\$816
SH-1	Work shelf, 8" wide, S/S	25	\$652
EPA	End panel, standard (CA-units)	5	\$352
RP-1	Fixed rear panel	8	\$458
US-1	Undershelf, S/S, removable	12	\$544
BSF-1	Front skirt w/recessed casters	13	\$794
BSR-1	Rear skirt	13	\$228
BSE	End skirt	30	\$234
CLF	Cart leg filler	8	\$210
CD	Cash drawer-locking	25	\$1,136
PC	Plastic change insert for cashier drawer	5	\$108
UT	Tool/utility drawer 20-1/2" x 20-1/2" x 5"	20	\$942
ECT	40" wide extended cart top, 34" high (Contact Factory)	-	-
MS	Master on/off switch	2	\$412

CA SERIES

HOT FOOD UNITS Electrically Heated - Individual Controls Optional Drain & Manifold					
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
CAIH-2	(2) 12 x 20 x 6" deep Individual Hot Food Wells	30-1/2 x 36-1/4 x 35	1.7KW-14.2 Amps-120V	200	\$5,228
CAIH-3	(3) 12 x 20 x 6" deep Individual Hot Food Wells	30-1/2 x 50 x 35	2.55KW-12.3 Amps-208V	235	\$6,506
CAIH-4	(4) 12 x 20 x 6" deep Individual Hot Food Wells	30-1/2 x 63-3/4 x 35	3.4KW-16.3 Amps-208V	285	\$7,614
CAIH-5	(5) 12 x 20 x 6" deep Individual Hot Food Wells	30-1/2 x 77-1/2 x 35	4.25KW-20.4 Amps-208V	315	\$8,850
CAIH-6	(6) 12 x 20 x 6" deep Individual Hot Food Wells	30-1/2 x 91-1/4 x 35	5.1KW-24.5 Amps-208V	550	\$10,434
<b>NOTE:</b> Stainless-CW available upon special request. <b>NOTE:</b> 1000 Watt heating elements are available: all 208 volt units are available in 240 volts; CAIH-2 is also available in 120 volts - contact factory for electrical specifications. FREIGHT CLASS - 250.					




CAIH-3

ACCESSORIES

CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
D	Individual drain and valve for each well	8	\$332	12	\$486	16	\$648	20	\$796	24	\$956
DM	Individual drain for each well with manifold to single valve	15	\$484	20	\$718	25	\$944	30	\$1,164	35	\$1,408
DME	Individual drain for each well with manifold to single valve w/rear extension	15	\$796	20	\$1,026	25	\$1,252	30	\$1,486	35	\$1,726
DMVE	Individual drain with valve for each well with manifold to single valve w/rear extension	20	\$926	25	\$1,230	30	\$1,520	35	\$1,808	40	\$2,104
AMC	Apron mounted controls	-	\$708	-	\$858	-	\$1,010	-	\$1,200	-	\$1,320




CA SERIES

 CAHB-3	HOT FOOD UNITS Electrically Heated - Individual Wells with Heated Base* Optional Drain & Manifold					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	CAHB-3	(3) 12 x 20" Hot Wells (1) Door Heated Base (8 ea.) 12 x 20" Pans	30-1/2 x 50 x 35	3.40KW-16.4 Amps-208V	435	\$13,876
	CAHB-4	(4) 12 x 20" Hot Wells (2) Door Heated Base (12 ea.) 12 x 20" Pans	30-1/2 x 63-3/4 x 35	4.25KW-20.4 Amps-208V	530	\$16,178
	CAHB-5	(5) 12 x 20" Hot Wells (2) Door Heated Base (16 ea.) 12 x 20" Pans	30-1/2 x 77-1/2 x 35	5.1KW-24.5 Amps-208V	580	\$18,588
	<b>NOTE:</b> 1000 Watt heating elements are available; all 208 volt units are available in 240 volts - contact factory for electrical specifications. *This unit includes (2 ea.) end panels. FREIGHT CLASS - 250.					


ACCESSORIES

CODE	DESCRIPTION	-3		-4		-5	
		WT.	PRICE	WT.	PRICE	WT.	PRICE
DME	Individual drain for each well with manifold to single valve w/rear extension	20	\$1,026	25	\$1,252	30	\$1,486



COLD FOOD UNITS Iced Cold Pan					 CAIC-3
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE	
CAIC-2	Iced Cold Pan 19-7/8 x 25-1/2 x 4-5/8" deep	30-1/2 x 36-1/4 x 35	160	\$4,386	
CAIC-3	Iced Cold Pan 19-7/8 x 39-1/4 x 4-5/8" deep	30-1/2 x 50 x 35	190	\$4,910	
CAIC-4	Iced Cold Pan 19-7/8 x 53 x 4-5/8" deep	30-1/2 x 63-3/4 x 35	220	\$5,372	
CAIC-5	Iced Cold Pan 19-7/8 x 66-3/4 x 4-5/8" deep	30-1/2 x 77-1/2 x 35	250	\$5,956	
CAIC-6	Iced Cold Pan 19-7/8 x 80-1/2 x 4-5/8" deep	30-1/2 x 91-1/4 x 35	300	\$6,542	
<b>NOTE:</b> Stainless-CW available upon special request. <b>NOTE:</b> All units include a 3/4" dia. drain with valve. FREIGHT CLASS - 250.					

CA SERIES

COLD FOOD UNITS Refrigerated Cold Pan with 3" Recessed Top (NSF-7)						 CARM-3
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE	
CARM-2	Refrigerated Cold Pan 19-7/8 x 25-5/8 x 9" deep	30-1/2 x 36-1/4 x 35	6.0 Amps-120V-1/4 HP	310	\$7,766	
CARM-3	Refrigerated Cold Pan 19-7/8 x 39-3/8 x 9" deep	30-1/2 x 50 x 35	6.0 Amps-120V-1/4 HP	360	\$8,188	
CARM-4	Refrigerated Cold Pan 19-7/8 x 53-1/8 x 9" deep	30-1/2 x 63-3/4 x 35	7.8 Amps-120V-1/3 HP	420	\$9,240	
CARM-5	Refrigerated Cold Pan 19-7/8 x 66-7/8 x 9" deep	30-1/2 x 77-1/2 x 35	10.7 Amps-120V-1/2 HP	470	\$10,078	
CARM-6	Refrigerated Cold Pan 19-7/8 x 80-5/8 x 9" deep	30-1/2 x 91-1/4 x 35	10.7 Amps-120V-1/2 HP	550	\$11,046	
<b>NOTE:</b> All units include a 3/4" dia. drain with valve. For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 250.						

ACCESSORIES

DESCRIPTION	-2		-3		-4		-5		-6	
	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
Full depth iced cold pan, 9-3/4 deep (add "D" to the model number)	20	\$216	20	\$364	20	\$490	20	\$648	20	\$796
WCM - NON NSF-7 Refrigerated Cold Pan in place of RM unit	20	\$3,966	168	\$4,324	204	\$4,836	242	\$5,374	295	\$6,110


REM-COMP - Remote Compressor on base of unit, Louvered S/S compartment, Remote on/off switch in Apron \$1,460 -5 lbs.

**NOTE:** Perforated false bottoms, adapter plates and adapter bars can be found on pages 47-49.





CA SERIES


 CARF-3	COLD FOOD UNITS Refrigerated Frost Top					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	CARF-2	Frost Top 19-1/2 x 25-1/4"	30-1/2 x 36-1/4 x 35	2.3 Amps-120V-1/5 HP	330	\$7,484
	CARF-3	Frost Top 19-1/2 x 39"	30-1/2 x 50 x 35	6.8 Amps-120V-1/4 HP	385	\$8,204
	CARF-4	Frost Top 19-1/2 x 52-3/4"	30-1/2 x 63-3/4 x 35	9.8 Amps-120V-1/3 HP	435	\$8,994
	CARF-5	Frost Top 19-1/2 x 66-1/2"	30-1/2 x 77-1/2 x 35	9.8 Amps-120V-1/3 HP	475	\$9,910
	CARF-6	Frost Top 19-1/2 x 80-1/4"	30-1/2 x 91-1/4 x 35	10.7 Amps-120V-1/2 HP	580	\$10,618
<b>NOTE:</b> Stainless-CW available upon special request. <b>NOTE:</b> All units include a 1" IPS drain. For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 250.						

ACCESSORIES

CODE	DESCRIPTION	-2	-3	-4	-5	-6
		PRICE	PRICE	PRICE	PRICE	PRICE
WF	Flush top for frost top units	\$510	\$644	\$706	\$824	\$924




COLD FROST UNITS					
Refrigerated Frost Top with Refrigerated Base*					
MODEL	( 2 ) COMPRESSORS DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
CAFB-4	Frost Top 19-1/2 x 52-3/4" (1) Door Ref. Base (10 ea.) 12" x 20" Pan Capacity	30-1/2 x 63-3/4 x 35	16.6 Amps-120V-1/3 & 1/4 HP	610	\$18,514
CAFB-5	Frost Top 19-1/2 x 66-1/2" (2) Door Ref. Base (15 ea.) 12" x 20" Pan Capacity	30-1/2 x 77-1/2 x 35	16.6 Amps-120V-1/3 & 1/4 HP	705	\$21,914
<b>NOTE:</b> Stainless-CW available upon special request. <b>NOTE:</b> All units include a 1" IPS drain and condensate evaporator. For 5-year compressor warranty, add \$125 NET ea. *This unit includes (2 ea.) end panels. FREIGHT CLASS - 250.					



CAFB-4


CA SERIES

COLD FOOD UNITS Solid Top with Refrigerated Base*					
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
CATR-4	Solid Top (10 ea.) 12" x 20" Pan Capacity (1) Door Ref. Base	30-1/2 x 63-3/4 x 35	6.8 Amps-120V-1/4 HP	420	\$12,258
CATR-5	Solid Top (15 ea.) 12" x 20" Pan Capacity (2) Door Ref. Base	30-1/2 x 77-1/2 x 35	6.8 Amps-120V-1/4 HP	500	\$15,140
<b>NOTE:</b> All units include a condensate evaporator. For 5-year compressor warranty, add \$125 NET. *This unit includes (2 ea.) end panels. FREIGHT CLASS - 250.					




CATR-4



 CABT-3	REFRIGERATED COLD PAN UNIT Self-Contained with Defrost System (Non NSF-7)					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	CABT-3	Refrigerated Cold Pan with Evaporator System 19-7/8 x 39-1/4 x 14" deep	30-1/2 x 50 x 35	6.8 Amps-120V-1/4 HP	508	\$10,162
	CABT-4	Refrigerated Cold Pan with Evaporator System 19-7/8 x 53 x 14" deep	30-1/2 x 63-3/4 x 35	9.2 Amps-120V-1/3 HP	558	\$11,028
	CABT-5	Refrigerated Cold Pan with Evaporator System 19-7/8 x 66-3/4 x 14" deep	30-1/2 x 77-1/2 x 35	9.2 Amps-120V-1/3 HP	620	\$11,928
	CABT-6	Refrigerated Cold Pan with Evaporator System 19-7/8 x 80-1/2 x 14" deep	30-1/2 x 91-1/4 x 35	9.2 Amps-120V-1/3 HP	678	\$12,776
	<b>NOTE:</b> For 220 volt - 50 cycle compressor, add \$384. <b>NOTE:</b> All units include a 3/4" dia. drain with valve and a condensate evaporator. For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 250.					



CA SERIES

 CAPT-3	COLD FOOD UNITS Refrigerated Pass-Through Display Case					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	CAPT-3	Sliding Doors on Both Sides, with (2) Adj. Shelves	30-1/2 x 50 x 35	11.0 Amps-120V-1/2 HP	590	\$16,044
	CAPT-4	Sliding Doors on Both Sides, with (2) Adj. Shelves	30 x 63-3/4 x 35	11.0 Amps-120V-1/2 HP	558	\$17,164
	<b>NOTE:</b> For 220 volt – 50 cycle compressor, add \$384. <b>NOTE:</b> All units include a condensate drain evaporator. For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS – 250.					

ACCESSORIES

DESCRIPTION		PRICE
Door locking device, installed		\$322
Extra shelf-3		\$138
Extra shelf-4		\$166
Plastic laminate trim-3		\$452
Plastic laminate trim-4		\$508
Solid (1) piece tempered reflective vision panel, bronze or gray	WCPT-3	\$784
	WCPT-4	\$904
Sliding doors with reflective tempered vision panel, bronze or gray	WCPT-3	\$1,638
	WCPT-4	\$1,856


CA SERIES

HOT/COLD PAN UNITS Dual Temp – Hot or Cold Service (For Hot Mode Water Must Be Used)					
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
CAHC-2	Dual Temp. Pan 19-7/8 x 25-1/2 x 9-1/2" deep (2) 12 x 20" Pan Capacity	30-1/2 x 36-1/4 x 35	2.4 Amps-1/5 HP, 2.0KW-16.7 Amps-120V	250	\$11,194
CAHC-3	Dual Temp. Pan 19-7/8 x 39-1/4 x 9-1/2" deep (3) 12 x 20" Pan Capacity	30-1/2 x 50 x 35	2.4 Amps-1/5 HP, 2.0KW-16.7 Amps-120V	296	\$11,846
CAHC-4	Dual Temp. Pan 19-7/8 x 53 x 9-1/2" deep (4) 12 x 20" Pan Capacity	30-1/2 x 63-3/4 x 35	9.8 Amps-1/3 HP, 3.0KW-12.5 Amps-120/240V	612	\$12,704
CAHC-5	Dual Temp. Pan 19-7/8 x 66-3/4 x 9-1/2" deep (5) 12 x 20" Pan Capacity	30-1/2 x 77-1/2 x 35	9.8 Amps-1/3 HP, 4.0KW-16.7 Amps-120/240V	475	\$14,534
CAHC-6	Dual Temp. Pan 19-7/8 x 80-1/2 x 9-1/2" deep (6) 12 x 20" Pan Capacity	30-1/2 x 91-1/4 x 35	9.8 Amps-1/3 HP, 4.0KW-16.7 Amps-120/240V	565	\$15,702
<b>NOTE:</b> Stainless-CW available upon special request. <b>NOTE:</b> All units include a 3/4" dia. drain with valve. For 5-year compressor warranty, add \$125 NET. 240 volt units are available in 208 volt; the unit is wired to prevent simultaneous operation. FREIGHT CLASS – 250.					



CAHC-3



 CAU-3	BEVERAGE UNITS Single or Dual Urn Drain				
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	CAU-2	Urn Trough 4-1/2 x 25-3/4"	30-1/2 x 36-1/4 x 35	184	\$3,292
	CAU-3	Urn Trough 4-1/2 x 39-1/2"	30-1/2 x 50 x 35	210	\$3,734
	CAU-4	Urn Trough 4-1/2 x 53-1/4"	30-1/2 x 63-3/4 x 35	350	\$4,180
	CAU-5	Urn Trough 4-1/2 x 67"	30-1/2 x 77-1/2 x 35	405	\$4,812
	<b>NOTE:</b> All urn troughs are 1-3/4" deep with a 3/4" dia. drain fitting welded on operator's left. FREIGHT CLASS – 250.				

ACCESSORIES

DESCRIPTION	-2	-3	-4	-5	-6
	PRICE	PRICE	PRICE	PRICE	PRICE
For dual service (2 ea.) troughs, add a "D" to model number	\$726	\$872	\$1,042	\$1,108	\$1,204




CA SERIES

 CADF-3	ICE CREAM UNITS Reach-in					
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	CADF-2	Deep Freeze Capacity – 100 lbs., 2.6 cu. ft.	30-1/2 x 36-1/4 x 35	6.8 Amps-120V-1/4 HP	250	\$8,170
	CADF-3	Deep Freeze Capacity – 150 lbs., 4.2 cu. ft.	30-1/2 x 50 x 35	6.8 Amps-120V-1/4 HP	285	\$9,510
	<b>NOTE:</b> Stainless-CW available upon special request. <b>NOTE:</b> For 220 volt – 50 cycle compressor, add \$384. <b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS – 250.					

ACCESSORIES

CODE	DESCRIPTION	PRICE
LLD	Lid locking device	\$536


CASHIER UNIT				
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
CACS	Includes Foot Rest & Locking Cash Drawer	30-1/2 x 24 x 35	175	\$3,546
FREIGHT CLASS – 250.				

  
CACS


ACCESSORIES

DESCRIPTION		SHIP WT. (LBS.)	PRICE
SLT	Tray slide, 11-1/4" wide, S/S, 3-rail	25	\$646
SLS	Tray slide, 11-1/4" wide, S/S, solid, ribbed	25	\$816
SH	Work shelf, 8" wide, S/S	25	\$652
EPA	End panel, standard (CA-units)	5	\$352
RP	Fixed rear panel	8	\$458
PC	Plastic change insert for cashier drawer	5	\$108
CO	Convenience outlet with cord	2	\$374
CO-DUP	Duplex receptacle	4	\$424
FH	3" Ferruled hole in top	-	\$180

CA SERIES

 CACC	CORNER UNIT				
	MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	CACC	Stainless Steel Top without Panels	30-1/2 x 30-1/2 x 35	165	\$2,344
	FREIGHT CLASS – 250.				

TRAY AND SILVER UNIT High Capacity				
MODEL	DESCRIPTION	DIMENSIONS L x W x H (INCHES)	SHIP WT. (LBS.)	LIST PRICE
CWTS	Stainless Steel Platform with Raised Silver Bin, (10 ea.) Openings	24 x 35 x 45	135	\$2,964
FREIGHT CLASS – 250.				

  
CWTS

ACCESSORIES

CODE	DESCRIPTION	PRICE
PCYL	Plastic cylinders, each	\$20



OPTIONAL ACCESSORIES

TRAY SLIDES											
CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
SL	Tray slide, 11-1/4" wide, S/S, 2-rail	30	\$626	30	\$670	36	\$722	48	\$784	70	\$1,042
SLT	Tray slide, 11-1/4" wide, S/S, 3-rail	30	\$792	30	\$846	40	\$912	52	\$1,002	75	\$1,224
SLS	Tray slide, 11-1/4" wide, S/S, solid, ribbed (CA-only)	30	\$1,202	30	\$1,284	40	\$1,386	52	\$1,512	75	\$1,832
TS	Tray slide, 12" wide, S/S, solid, ribbed, rolled edge	30	\$1,454	30	\$1,538	40	\$1,638	52	\$1,784	64	\$2,150
SLF	Tray slide, plastic laminate with S/S runners	30	\$1,080	30	\$1,204	40	\$1,336	52	\$1,524	75	\$1,794

WORK SHELVES & END SHELVES											
CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
SH	Work shelf, 8" wide, S/S	30	\$800	30	\$906	32	\$1,008	38	\$1,104	65	\$1,358
CB	Work shelf, 8" wide, hardwood maple	30	\$614	30	\$746	34	\$800	38	\$1,148	65	\$1,194
CR	Work shelf, 8" wide, Richlite	30	\$792	30	\$960	35	\$1,174	40	\$1,452	65	\$1,644
ES	End shelf, S/S	14	\$906	14	\$906	14	\$906	14	\$906	14	\$906
CBE	End shelf, hardwood maple	20	\$886	20	\$886	20	\$886	20	\$886	20	\$886

FOOD GUARDS Protector Cases & Accessories											
CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
PRC	Protector case, w/ (2) Glass End Panels	95	\$1,320	115	\$1,528	135	\$1,804	162	\$2,268	170	\$2,796
PRCL	Protector case with lights, w/ (2) Glass End Panels	48	\$2,044	62	\$2,436	140	\$2,730	175	\$3,448	205	\$3,950
PRHC	Protector case with food warmer, w/ (2) Glass End Panels	50	\$2,484	63	\$2,660	76	\$3,222	94	\$3,872	190	\$4,328
PRHCL	Protector case, 18" high, with heat lamps, (2) End Panels	50	\$2,242	66	\$2,476	80	\$2,952	100	\$3,650	195	\$4,192
PRVC	Protector case, food guard only	35	\$868	60	\$984	45	\$1,146	55	\$1,338	110	\$1,466
PRGT	Protector case with glass top	53	\$1,410	65	\$1,620	75	\$1,878	90	\$2,090	185	\$2,322
#8011	Plexiglas end enclosures for PR series (per set)	6	\$294	6	\$294	6	\$294	6	\$294	6	\$294
LF	Fluorescent light fixture	8	\$572	10	\$656	12	\$702	15	\$922	20	\$1,026
FW	Food warmer installed	8	\$1,310	10	\$1,364	13	\$1,428	17	\$1,640	20	\$1,748
FW L	Food warmer with lights	8	\$1,578	10	\$2,072	13	\$2,242	17	\$2,662	20	\$3,014
ADJ	Adjustable front food guard	8	\$408	8	\$426	8	\$824	8	\$862	8	\$942
SG	Plexiglas food guard	30	\$996	30	\$1,020	38	\$1,058	60	\$1,116	110	\$1,212
CPS	Curved Plexiglas food guard	15	\$1,468	17	\$1,660	22	\$1,960	27	\$2,254	32	\$2,864
PR-OVSH	12" Flat Overshelf, S/S, 14" high 1 x 1" legs	40	\$1,208	50	\$1,512	60	\$1,810	70	\$2,112	80	\$2,416

OPTIONAL ACCESSORIES

CUSTOM FOOD GUARDS-CSG SERIES W/ (2) Tempered Glass End Panels Each											
CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
CSG-A	Protector case glass top & front	60	\$3,434	72	\$3,614	82	\$4,456	98	\$5,474	112	\$6,196
CSG-B	Protector case glass top, middle & front	70	\$4,014	88	\$4,212	102	\$5,330	122	\$6,450	140	\$7,530
CSG-D	Protector case glass top & front	65	\$3,710	80	\$4,046	90	\$5,190	110	\$6,334	130	\$7,414
CSG-F	Front vertical glass only	32	\$1,998	40	\$2,230	48	\$2,734	56	\$3,372	64	\$4,086
CSG-I	Single post self service	25	\$1,674	30	\$1,782	34	\$2,222	40	\$2,588	42	\$2,962
CSG-J	Double post buffet canopy	42	\$2,420	50	\$2,784	60	\$3,448	74	\$4,270	82	\$4,790
CSG-L	Display case self service	70	\$3,478	90	\$3,968	110	\$4,838	140	\$6,124	170	\$7,220
CSG-M	Buffet canopy dual service	85	\$4,196	110	\$4,666	134	\$5,480	166	\$7,296	202	\$8,420
CSG-N	Double deck display	112	\$5,018	140	\$5,578	168	\$6,482	206	\$9,810	234	\$11,570

OPTIONAL CSG ACCESSORIES											
CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
CSG-FL	Fluorescent lights	6	\$1,224	8	\$1,310	10	\$1,824	12	\$1,844	14	\$1,924
CSG-FW	Food warmer	16	\$1,190	22	\$1,256	30	\$1,336	35	\$1,594	42	\$1,714
CSG-FW	Food warmer with lights	20	\$1,638	25	\$1,844	30	\$2,082	35	\$2,988	45	\$3,270
CSG-ASG	Adjustable front food guard (CSG-A only)	16	\$942	22	\$960	30	\$1,874	35	\$2,032	42	\$2,180
CSG-EG	End glass (sets)	10	\$750	10	\$750	10	\$750	10	\$750	10	\$750
CSG-PC	Powder coating	-	\$496	-	\$658	-	\$740	-	\$886	-	\$984
























DOUBLE DECK DISPLAY CASES & ACCESSORIES											
CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
DDC	Double deck display case	124	\$2,958	154	\$3,256	94	\$4,100	185	\$4,406	270	\$5,036
DDLCL	Double deck display case with fluorescent lights	100	\$4,292	140	\$4,692	240	\$5,436	205	\$6,170	305	\$6,840
DDDC	Double deck display case, dual service	150	\$3,576	185	\$3,954	220	\$5,320	245	\$5,830	290	\$6,430
DTC	Triple deck display case	160	\$3,688	195	\$4,052	250	\$5,470	310	\$6,102	370	\$6,432
DTLC	Triple deck display case with fluorescent lights	165	\$5,426	215	\$6,102	255	\$7,350	315	\$8,694	375	\$9,162
#8012	Plexiglas end enclosures for DDC series (per set)	12	\$326	12	\$326	12	\$326	12	\$326	12	\$326


OPTIONAL ACCESSORIES

BUFFET CANOPIES & ACCESSORIES											
OS - Canopies Include (2) Plexiglas End Enclosures Each											
CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
OSC-X	Buffet style canopy, single service, less lights	43	\$1,612	80	\$1,810	140	\$2,122	106	\$2,542	150	\$2,700
OSC	Buffet canopy, single service, with fluorescent lights	95	\$2,048	140	\$2,306	160	\$2,500	174	\$2,986	175	\$3,376
OSHC	Buffet style canopy, single service, with heat lamps	62	\$2,426	70	\$2,786	82	\$3,214	96	\$3,560	188	\$3,996
OSDC-X	Buffet style canopy, dual service, less lights	55	\$1,958	66	\$2,182	130	\$2,476	92	\$2,922	178	\$3,260
OSDC	Buffet canopy, dual service, with fluorescent lights	145	\$2,444	170	\$2,750	205	\$3,046	230	\$3,654	270	\$3,772
OSDHC	Buffet style canopy, dual service, with heat lamps	65	\$2,484	73	\$2,964	85	\$3,420	99	\$3,856	195	\$4,196
OSLC	Slim-Line buffet overshef, single service, with lights	64	\$2,338	80	\$2,916	92	\$3,252	-	-	-	-
#8000-1	Plexiglas end enclosures for OSD series (per set)	6	\$408	6	\$408	6	\$408	6	\$408	6	\$408
BC	Canopy, S/S, with food guard, single service	30	\$2,242	35	\$2,544	50	\$2,928	72	\$3,978	90	\$4,698
BCD	Canopy, S/S, with food guards, dual service	45	\$2,716	50	\$2,878	65	\$3,282	85	\$4,328	115	\$5,152
BCFT	Canopy, S/S, flip-top food guard, single service	40	\$2,976	126	\$3,126	136	\$3,542	152	\$4,138	100	\$5,054
BCDFT	Canopy, S/S, flip-top food guards, dual service	55	\$3,582	60	\$3,708	75	\$4,074	98	\$5,152	125	\$5,970
FL	Fluorescent lights for S/S canopy	8	\$450	10	\$542	12	\$602	15	\$684	18	\$702
LTC	Laminate trim	6	\$396	6	\$396	7	\$396	8	\$396	8	\$396


MISCELLANEOUS ACCESSORIES											
CODE	DESCRIPTION	-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
S	Stainless steel front panel in lieu of standard finish	30	\$432	35	\$458	40	\$486	45	\$516	55	\$546
EPA	End panel, standard (CA-units)	5	\$352	5	\$352	5	\$352	5	\$352	5	\$352
EPS	End panel, stainless steel	10	\$432	10	\$432	10	\$432	10	\$432	10	\$432
RP	Fixed rear panel	8	\$498	12	\$572	15	\$674	20	\$746	30	\$1,136
RPS	Removable sliding doors	5	\$1,082	8	\$1,246	10	\$1,512	12	\$1,618	14	\$1,810
	REVERSA PANEL - (Front) (BL)	12	\$784	15	\$906	18	\$1,090	25	\$1,432	30	\$1,560
	REVERSA PANEL - (End) (BL) Per Set	10	\$622	10	\$622	10	\$622	10	\$622	10	\$622
DL	Door locks (set)	1	\$238	1	\$238	1	\$238	1	\$238	1	\$238
US	Undershelf, S/S, removable	16	\$624	20	\$702	26	\$838	32	\$1,010	40	\$1,194
USB	Bottom shelf, S/S (BL-units)	14	\$730	17	\$786	28	\$846	37	\$942	42	\$1,120
USM	Middle shelf, S/S (BL-units)	14	\$730	17	\$786	28	\$846	37	\$942	42	\$1,120
USMB	Undershelves, S/S, middle & bottom (BL-units)	28	\$1,458	34	\$1,572	56	\$1,694	74	\$1,882	84	\$2,240
GP	Vinyl graphic package, front panel	-	\$814	-	\$986	-	\$1,192	-	\$1,374	-	\$1,620
GPE	Vinyl graphic package, end panel	-	\$628	-	\$628	-	\$628	-	\$628	-	\$628
PP	Painted panels on (3) sides	-	\$448	-	\$448	-	\$448	-	\$448	-	\$448
WFB	Perforated false bottom, S/S	10	\$290	12	\$374	21	\$490	31	\$572	35	\$698
CO	Convenience outlet with cord	2	\$374	2	\$374	2	\$374	2	\$374	2	\$374
CO-DUP	Duplex receptacle	-	\$424	-	\$424	-	\$424	-	\$424	-	\$424
CP	Cover plate with handle, S/S	30	\$280	35	\$356	40	\$446	45	\$622	55	\$770
SC	Square cutout	-	\$258	-	\$258	-	\$258	-	\$258	-	\$258
RC	Round cutout	-	\$180	-	\$180	-	\$180	-	\$180	-	\$180
RST	Reinforced S/S top	15	\$630	20	\$730	25	\$832	30	\$956	35	\$1,104
P-CAST	Polyurethane casters, 2-w/brakes	-	\$340	-	\$340	-	\$340	-	\$340	-	\$340
BSF	Front skirt with recessed casters (CA units only)	15	\$838	18	\$874	24	\$890	30	\$964	35	\$1,100
BSE	End skirt (CA units only)	30	\$234	30	\$234	30	\$234	30	\$234	30	\$234
BSR	Rear skirt (CA units only)	15	\$238	18	\$266	24	\$294	30	\$356	35	\$498
MS	Master on/off switch	2	\$412	2	\$412	2	\$412	2	\$412	2	\$412
HD	Hinged Doors (per cart)	5	\$1,658	8	\$1,658	10	\$1,658	12	\$3,314	14	\$3,314

ACCESSORIES

END VIEWS			
			
SL - Tray slide 2 bar	SLF - Tray slide solid (plastic laminate)	CB - 1-1/2 x 8" maple shelf	
			
SLT - Tray slide 3 bar	TS - Tray slide solid (rolled edge)	SH - 8" wide, stainless steel shelf	
			
BC - Buffet canopy (single)	OSC - Buffet canopy (single)	BCFT - Buffet canopy single flip top	
			
BCD - Buffet canopy (double)	OSDC - Buffet canopy (dual)	BCDFT - Buffet canopy dual flip top	
			
SG - Food guard	PRC - Protector case* *ADJ - Adjustable front food guard available	CSG-A** **CSG-ASG - Adjustable front food guard available for this model only	
			
CSG-B	CSG-D	CSG-F	CSG-I
			
CSG-J	CSG-L	CSG-M	CSG-N

 WH-3	HOT PAN Electrically Heated - Single Control						
	MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	WH-2	19-7/8 x 25-1/2 x 6" deep pan	24 x 29-3/4	22-1/4 x 28	14.2 Amps-1.7KW,* 120V	100	\$2,626
	WH-3	19-7/8 x 39-1/4 x 6" deep pan	24 x 43-1/2	22-1/4 x 28	12.3 Amps-2.55KW,** 208V	135	\$3,030
	WH-4	19-7/8 x 53 x 6" deep pan	24 x 54-1/4	22-1/4 x 28	16.4 Amps-3.4KW,** 208V	150	\$3,736
	WH-5	19-7/8 x 66-3/4 x 6" deep pan	24 x 71	22-1/4 x 28	20.4 Amps-4.25KW,** 208V	180	\$4,324
	WH-6	19-7/8 x 80-1/2 x 6" deep pan	24 x 84-3/4	22-1/4 x 28	24.5 Amps-5.1KW,** 208V	200	\$5,254
	<b>NOTE:</b> Electrical information is based on 850 watt elements. 1000 watt elements are available. <b>Specify.</b> A 3/4" dia. drain and valve is included. Separator channels are provided. *Unit is available for 208 or 240 volts. **Units are available for 240 volts. FREIGHT CLASS - 85.						

HOT PAN Electrically Heated - Individual Control Optional Drain & Manifold						
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
WIH-1	(1) 12 x 20 x 6" deep well	24 x 16	22-1/4 x 14-1/4	8.3 Amps-1.0 KW,* 120V	40	\$1,726
WIH-2	(2) 12 x 20 x 6" deep wells	24 x 29-3/4	22-1/4 x 28	14.2 Amps-1.7 KW,* 120V	100	\$2,870
WIH-3	(3) 12 x 20 x 6" deep wells	24 x 43-1/2	22-1/4 x 41-3/4	12.3 Amps-2.55 KW,* 208V	135	\$3,884
WIH-4	(4) 12 x 20 x 6" deep wells	24 x 57-1/4	22-1/4 x 55-1/2	16.4 Amps-3.4 KW,** 208V	190	\$4,938
WIH-5	(5) 12 x 20 x 6" deep wells	24 x 71	22-1/4 x 69-1/4	20.4 Amps-4.25 KW,** 208V	215	\$6,006
WIH-6	(6) 12 x 20 x 6" deep wells	24 x 84-3/4	22-1/4 x 83	24.5 Amps-5.1 KW,** 208V	238	\$6,754
<b>NOTE:</b> Electrical information is based on 850 watt elements (1000 watt on WIH-1). 1000 watt elements are available for units WIH-2 through WIH-6. <b>Specify.</b> *Unit is available for 208 or 240 volts. **Units are available for 240 volts. FREIGHT CLASS - 100.						


  
WIH-3

SOUP WELL (ROUND)

Built in with drain, 12" overall diameter, junction box with die stamped remote control panel provided with knob, infinite control with red signal light, 24" lead wires from control to unit. 11 quart capacity.

MODEL	DESCRIPTION	VOLTS	WATTS	AMPS	PHASE	SHIP WT. (LBS.)	LIST PRICE
SWD	S/S built-in round food warmer	120	825	6.9	SINGLE	20	\$1,692
		208	620	3.0	SINGLE	-	-
		240	825	3.4	SINGLE	-	-

HOT PAN Electrically Heated - Individual Control Optional Drain & Manifold						
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
WIH-17	(1) 12 x 27 x 6" deep well	31-1/8 x 16	29-3/8 x 14-1/4	8.3 Amps-1.0 KW,* 120V	85	\$2,024
WIH-27	(2) 12 x 27 x 6" deep wells	31-1/8 x 29-3/4	29-3/8 x 28	14.2 Amps-1.7 KW,* 120V	130	\$3,290
WIH-37	(3) 12 x 27 x 6" deep wells	31-1/8 x 43-1/2	29-3/8 x 41-3/4	12.3 Amps-2.55 KW,* 208V	156	\$4,494
WIH-47	(4) 12 x 27 x 6" deep wells	31-1/8 x 57-1/4	29-3/8 x 55-1/2	16.4 Amps-3.4 KW,** 208V	200	\$5,484
WIH-57	(5) 12 x 27 x 6" deep wells	31-1/8 x 71	29-3/8 x 69-1/4	20.4 Amps-4.25 KW,* 208V	218	\$6,558
WIH-67	(6) 12 x 27 x 6" deep wells	31-1/8 x 84-3/4	29-3/8 x 83	24.5 Amps-5.1 KW,** 208V	300	\$7,568
<b>NOTE:</b> Electrical information is based on 850 watt elements (1000 watt on WIH-17). 1000 watt elements are available for units WIH-27 through WIH-67. <b>Specify.</b> *Unit is available for 208 or 240 volts. **Units are available for 240 volts. FREIGHT CLASS - 100.						

  
WIH-37

ACCESSORIES


DESCRIPTION		-1		-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
RT	Remote thermostats for counter installation with 36" long lead	-	\$402	-	\$450	-	\$494	-	\$552	-	\$594	-	\$674
RTL	Remote thermostats for counter installation with 72" long lead	-	\$496	-	\$592	-	\$770	-	\$912	-	\$1,136	-	\$1,210
D	Individual drain and valve for each well (WIH series only, add -D to model no.)	4	\$172	8	\$332	12	\$486	16	\$648	20	\$796	24	\$956
DM	Individual drain for each well with manifold to single valve (WIH series only, add -DM to model no.)	-	-	15	\$484	20	\$718	25	\$944	30	\$1,164	35	\$1,408
DMV	Individual drain with valve for each well with manifold to single valve	-	-	16	\$610	21	\$906	26	\$1,212	31	\$1,498	36	\$1,794
DME	Individual drain for each well with manifold to single valve w/rear ext.	-	-	15	\$796	20	\$1,026	25	\$1,252	30	\$1,486	35	\$1,726
*AF	Automatic water fill <b>*NOTE:</b> Drain & manifold required for AF-water fill	5	\$2,684	5	\$2,684	5	\$2,684	5	\$2,684	5	\$2,684	5	2,684
RDVE	Rear extension for D, DM, DMV (1) required	5	\$322	5	\$322	5	\$322	5	\$322	5	\$322	5	\$322
MS	Master on/off switch	2	\$412	2	\$412	2	\$412	2	\$412	2	\$412	2	\$412

**NOTE:** Adapter plates and adapter bars can be found on pages 47-49.


WIH-UNITS WITH REMOTE THERMOSTATS APRON CUT-OUT DIMENSIONS

WIH-1	4-1/2" x 6-1/4"
WIH-2	4-1/2" x 12-1/4"
WIH-3	4-1/2" x 26"
WIH-4	4-1/2" x 39-3/4"
WIH-5	4-1/2" x 53-1/2"
WIH-6	4-1/2" x 67-1/4"
<b>NOTE:</b> Flange Dimension for installation increases both the height & length of the control box by 1-1/4".	




 WIC-3	COLD PAN Iced Cold Pan - Standard Depth					
	MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	WIC-1	19-7/8 x 11-3/4 x 4-5/8" deep pan	24 x 16	22-1/4 x 14-1/4	26	\$1,376
	WIC-2	19-7/8 x 25-1/2 x 4-5/8" deep pan	24 x 29-3/4	22-1/4 x 28	42	\$1,634
	WIC-3	19-7/8 x 39-1/4 x 4-5/8" deep pan	24 x 43-1/2	22-1/4 x 41-3/4	54	\$1,932
	WIC-4	19-7/8 x 53 x 4-5/8" deep pan	24 x 57-1/4	22-1/4 x 55-1/2	115	\$2,542
	WIC-5	19-7/8 x 66-3/4 x 4-5/8" deep pan	24 x 71	22-1/4 x 69-1/4	135	\$2,958
	WIC-6	19-7/8 x 80-1/2 x 4-5/8" deep pan	24 x 84-3/4	22-1/4 x 83	155	\$3,292
NOTE: A 3/4" dia. drain and valve, and separator channels are provided. FREIGHT CLASS - 100.						

COLD PAN Refrigerated Cold Pan - Standard Depth (Non NSF-7)						
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
WCM-1	19-7/8 x 11-3/4 x 4-5/8" deep pan	24 x 16	22-1/4 x 14-1/4	2.4 Amps-120V, 1/5 HP	115	\$3,544
WCM-2	19-7/8 x 25-1/2 x 4-5/8" deep pan	24 x 29-3/4	22-1/4 x 28	3.9 Amps-120V, 1/5 HP	155	\$3,966
WCM-3	19-7/8 x 39-1/4 x 4-5/8" deep pan	24 x 43-1/2	22-1/4 x 41-3/4	3.9 Amps-120V, 1/5 HP	180	\$4,324
WCM-4	19-7/8 x 53 x 4-5/8" deep pan	24 x 57-1/4	22-1/4 x 55-1/2	6.8 Amps-120V, 1/4 HP	200	\$4,836
WCM-5	19-7/8 x 66-3/4 x 4-5/8" deep pan	24 x 71	22-1/4 x 69-1/4	9.8 Amps-120V, 1/3 HP	240	\$5,374
WCM-6	19-7/8 x 80-1/2 x 4-5/8" deep pan	24 x 84-3/4	22-1/4 x 83	9.8 Amps-120V, 1/3 HP	265	\$6,110
NOTE: A 3/4" dia. drain and valve, and separator channels are provided. NOTE: For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 150.						


  
WCM-3

NOTE: Compressor pricing may be found on page 43. Adapter plates and adapter bars can be found on pages 47-49.

COLD PAN Iced Cold Pan - Full Depth					
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	SHIP WT. (LBS.)	LIST PRICE
WICD-1	19-7/8 x 11-3/4 x 9-3/4" deep pan	24 x 16	22-1/4 x 14-1/4	45	\$1,578
WICD-2	19-7/8 x 25-1/2 x 9-3/4" deep pan	24 x 29-3/4	22-1/4 x 28	60	\$1,874
WICD-3	19-7/8 x 39-1/4 x 9-3/4" deep pan	24 x 43-1/2	22-1/4 x 41-3/4	72	\$2,108
WICD-4	19-7/8 x 53 x 9-3/4" deep pan	24 x 57-1/4	22-1/4 x 55-1/2	145	\$2,658
WICD-5	19-7/8 x 66-3/4 x 9-3/4" deep pan	24 x 71	22-1/4 x 69-1/4	164	\$3,214
WICD-6	19-7/8 x 80-1/2 x 9-3/4" deep pan	24 x 84-3/4	22-1/4 x 83	178	\$3,660
NOTE: A 3/4" dia. drain and valve, and separator channels are provided. FREIGHT CLASS - 100.					

  
WICD-3

COLD PAN Refrigerated Cold Pan - Full Depth with Side Coils (Non NSF-7)						
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
WCMD-C-1	19-7/8 x 11-3/4 x 9-3/4" deep pan	24 x 16	22-1/4 x 14-1/4	2.4 Amps-120V, 1/5 HP	130	\$4,072
WCMD-C-2	19-7/8 x 25-1/2 x 9-3/4" deep pan	24 x 29-3/4	22-1/4 x 28	3.9 Amps-120V, 1/5 HP	155	\$4,384
WCMD-C-3	9-7/8 x 39-1/4 x 9-3/4" deep pan	24 x 43-1/2	22-1/4 x 41-3/4	3.9 Amps-120V, 1/5 HP	200	\$4,860
WCMD-C-4	19-7/8 x 53 x 9-3/4" deep pan	24 x 57-1/4	22-1/4 x 55-1/2	6.8 Amps-120V, 1/4 HP	260	\$5,538
WCMD-C-5	19-7/8 x 66-3/4 x 9-3/4" deep pan	24 x 71	22-1/4 x 69-1/4	9.8 Amps-120V, 1/3 HP	270	\$6,372
WCMD-C-6	19-7/8 x 80-1/2 x 9-3/4" deep pan	24 x 84-3/4	22-1/4 x 83	9.8 Amps-120V, 1/3 HP	290	\$6,788
NOTE: A 3/4" dia. drain and valve, and separator channels are provided. NOTE: For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 150.						

  
WCMD-C-3


ACCESSORIES

DESCRIPTION		-1		-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
RS	Remote on/off switch for counter mounting	7	\$282	7	\$282	7	\$282	7	\$282	7	\$282	7	\$282
Remote refrigeration option (less compressor*):													
WCM series units become <b>WCMX</b>		57	\$1,632	92	\$2,108	117	\$2,480	150	\$2,990	172	\$3,320	252	\$4,062
WCMD-C series become <b>WCMD-C-X</b>		74	\$2,270	100	\$2,700	132	\$2,892	160	\$3,768	202	\$4,088	292	\$4,814
WFB	Stainless steel perforated false bottom	8	\$232	10	\$290	12	\$374	21	\$490	31	\$572	35	\$698

**NOTE:** For 220 volt – 50 cycle compressor, add \$384.  
For #2060-1 – condensate evaporator, add \$358.


**NOTE:** Adapter plates and adapter bars can be found on pages 47-49.



REFRIGERATED COLD PAN with 3" Recessed Top (NSF-7)							 RM-3
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE	
RM-1	19-7/8 x 11-7/8 x 9" deep pan	26 x 18-1/8	24-1/2 x 16-1/2	3.0 Amps-120V, 1/5 HP	140	\$4,258	
RM-2	19-7/8 x25-5/8 x 9" deep pan	26 x 31-3/4	24-1/2 x 30-1/4	6.0 Amps-120V, 1/4 HP	170	\$4,976	
RM-3	19-7/8 x 39-3/8 x 9" deep pan	26 x 45-1/2	24-1/2 x 44	6.0 Amps-120V, 1/4 HP	215	\$5,480	
RM-4	19-7/8 x 53-1/8 x 9" deep pan	26 x 59-1/4	24-1/2 x 57-3/4	7.8 Amps-120V, 1/3 HP	245	\$6,050	
RM-5	19-7/8 x 66-7/8 x 9" deep pan	26 x 73	24-1/2 x 71-1/2	10.7 Amps-120V, 1/2 HP	300	\$7,010	
RM-6	19-7/8 x 80-5/8 x 9" deep pan	26 x 86-3/4	24-1/2 x 85-1/4	10.7 Amps-120V, 1/2 HP	315	\$7,640	
<b>NOTE:</b> A 3/4" dia. drain and valve, and separator channels are provided. <b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS – 150.							

RM COMPRESSOR  
FOR REMOTE INSTALLATION

DESCRIPTION		SHIP WT. (LBS.)	PRICE
2029	1/5 HP	35	\$726
2029-5	1/4 HP	35	\$984
2029-6	1/3 HP	35	\$1,090
2029-7	1/2 HP	40	\$1,234

FROST TOP Refrigerated Frost Top							 WF-3
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE	
WF-2	19-1/2 x 25-1/4" Frost top – 1" high	24 x 29-3/4	22-1/4 x 28	3.9 Amps-120V, 1/5 HP	150	\$4,430	
WF-3	19-1/2 x 39" Frost top – 1" high	24 x 43-1/2	22-1/4 x 41-3/4	6.8 Amps-120V, 1/4 HP	180	\$4,962	
WF-4	19-1/2 x 52-3/4" Frost top – 1" high	24 x 57-1/4	22-1/4 x 55-1/2	9.8 Amps-120V, 1/3 HP	220	\$5,452	
WF-5	19-1/2 x 66-1/2" Frost top – 1" high	24 x 71	22-1/4 x 69-1/4	9.8 Amps-120V, 1/3 HP	270	\$6,006	
WF-6	19-1/2 x 80-1/4" Frost top – 1" high	24 x 84-3/4	22-1/4 x 83	10.7 Amps-120V, 1/2 HP	300	\$6,830	
<b>NOTE:</b> A 1" IPS drain and valve is provided. <b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS – 150.							

WCM/WF COMPRESSOR  
FOR REMOTE INSTALLATION

DESCRIPTION		SHIP WT. (LBS.)	PRICE
2029	1/5 HP	35	\$726
2029-17JP	1/4 HP	35	\$914
2029-27JL	1/3 HP	35	\$1,152
2001-4	1/2 HP	40	\$1,214




ACCESSORIES


DESCRIPTION		-1		-2		-3		-4		-5		-6	
		WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE	WT.	PRICE
RS	Remote on/off switch for counter mounting	7	\$282	7	\$282	7	\$282	7	\$282	7	\$282	7	\$282
Remote refrigeration option (less compressor*):													
RM series units become <b>RMX</b>		90	\$2,208	120	\$2,652	160	\$3,126	198	\$3,584	235	\$4,202	270	\$4,750
WF series become <b>WFX</b>		-	-	112	\$2,208	126	\$3,074	140	\$3,520	176	\$4,154	202	\$4,466
Flush top for frost top units (add to WF series)		-	-	-	\$510	-	\$644	-	\$706	-	\$824	-	\$924
WFB	Stainless steel perforated false bottom	8	\$232	10	\$290	12	\$374	21	\$490	31	\$572	35	\$698

**NOTE:** For 220 volt – 50 cycle compressor, add \$384.  
For #2060-1 – condensate evaporator, add \$358.


**NOTE:** Adapter plates and adapter bars can be found on pages 47-49.

 WCM-BT-3	COLD PAN Refrigerated - Air Flow System, with Evaporator (Non NSF-7)						
	MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	WCM-BT-3	19-7/8 x 39-1/4 x 14" deep pan	24 x 43-1/2	22-1/4 x 41-3/4	6.8 Amps-120V, 1/4 HP	215	\$7,774
	WCM-BT-4	19-7/8 x 53 x 14" deep pan	24 x 57-1/4	22-1/4 x 55-1/2	9.2 Amps-120V, 1/3 HP	255	\$8,084
	WCM-BT-5	19-7/8 x 66-3/4 x 14" deep pan	24 x 71	22-1/4 x 69-1/4	9.2 Amps-120V, 1/3 HP	285	\$8,490
	WCM-BT-6	19-7/8 x 80-1/2 x 14" deep pan	24 x 84-3/4	22-1/4 x 83	9.2 Amps-120V, 1/3 HP	320	\$8,988
	<b>NOTE:</b> A 3/4" dia. PVC drain, and separator channels are provided. <b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. <b>NOTE:</b> For 220 volt - 50 cycle compressor, add \$384. FREIGHT CLASS - 150.						

HOT/COLD PAN Dual Temp. - Hot or Cold Service For Hot Mode Operation Water Must Be Used						
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
*RMHP-1	19-7/8 x 11-7/8 x 9-1/2" deep pan (1) 12 x 20" pan	26 x 18-1/8	24-1/2 x 16-1/2	See pages 57-59	145	\$8,464
WCM-HP-2	19-7/8 x 25-1/2 x 9-1/2" deep pan (2) 12 x 20" pans	24 x 29-3/4	23-1/4 x 28-3/4	See pages 57-59	160	\$8,108
*RMHP-2		26 x 31-3/4	24-1/2 x 30-1/4		200	\$8,876
WCM-HP-3	19-7/8 x 39-1/4 x 9-1/2" deep pan (3) 12 x 20" pans	24 x 43-1/2	23-1/4 x 42-1/2	See pages 57-59	205	\$8,680
*RMHP-3		26 x 45-1/2	24-1/2 x 44		236	\$9,624
WCM-HP-4	19-7/8 x 53 x 9-1/2" deep pan (4) 12 x 20" pans	24 x 57-1/4	23-1/4 x 56-1/4	See pages 57-59	250	\$9,622
*RMHP-4		26 x 59-1/8	24-1/2 x 57-3/4		275	\$10,586
WCM-HP-5	19-7/8 x 66-3/4 x 9-1/2" deep pan (5) 12 x 20" pans	24 x 71	23-1/4 x 708	See pages 57-59	275	\$10,578
*RMHP-5		26 x 73	24-1/2 x 71-1/2		315	\$11,556
WCM-HP-6	19-7/8 x 80-1/2 x 9-1/2" deep pan (6) 12 x 20" pans	24 x 84-3/4	23-1/4 x 83-3/4	See pages 57-59	315	\$11,494
*RMHP-6		26 x 86-3/4	24-1/2 x 85-1/4		355	\$12,800
<b>NOTE:</b> A 3/4" dia. drain and valve, and separator channels are provided. <b>NOTE:</b> Units are wired to prevent simultaneous operation. 240 volt units are available in 208 volts. <b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 150.						



WCM-HP-3



\*RMHP-3  
(NSF-LISTED)

DISPLAY CASE Refrigerated, Pass-Through						
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
WCPT-3	Sliding doors on both sides, with (2) adj shelves	24 x 43-1/2	22-1/4 x 41-3/4	11.0 Amps-120V, 1/2 HP	450	\$13,538
WCPT-4	Sliding doors on both sides, with (2) adj shelves	24 x 57-1/4	22-1/4 x 55-1/2	11.0 Amps-120V, 1/2 HP	520	\$14,170
<b>NOTE:</b> Unit is provided with a condensate evaporator. <b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. <b>NOTE:</b> For 220 volt - 50 cycle compressor, add \$384. FREIGHT CLASS - 100.						

ACCESSORIES


DESCRIPTION		PRICE
Door locking device, installed		\$322
Extra shelf-3		\$138
Extra shelf-4		\$166
Plastic laminate trim-3		\$452
Plastic laminate trim-4		\$508
Solid (1) piece tempered reflective vision panel, bronze or gray	WCPT-3	\$784
	WCPT-4	\$904
Solid stainless steel back (both units)		\$1,028
Sliding doors with reflective tempered vision panel, bronze or gray	WCPT-3	\$1,638
	WCPT-4	\$1,856

**NOTE:** Adapter plates and adapter bars can be found on pages 47-49.

ACCESSORIES

CODE	DESCRIPTION	PRICE
RSHP	Remote switch for counter installation	\$718




 WDF-3	ICE CREAM FREEZER Refrigerated, Self-Contained						
	MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	WDF-2	16-1/2 x 22-1/2 x 13-1/2" deep 2.6 cu. ft. capacity	24 x 29-3/4	22-1/4 x 28	6.8 Amps-120V, 1/4 HP	180	\$5,956
	WDF-3	16-1/2 x 36-1/2 x 13-1/2" deep 4.2 cu. ft. capacity	24 x 43-1/2	22-1/4 x 41-3/4	6.8 Amps-120V, 1/4 HP	215	\$7,044
	<b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 92.5.						

ACCESSORIES


DESCRIPTION	PRICE
Hinged Plexiglas lid, WDF-2	\$518
Hinged Plexiglas lid, WDF-3	\$662
Lid locking device, LLD	\$536


\*Stainless steel replacement lids are available at the same price.


URN DRAIN Beverage Station with Drain Trough					
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	SHIP WT. (LBS.)	LIST PRICE
WU-24	4-1/2 x 20" trough with anti-splash grate	24 x 24	5 x 20-1/2	28	\$748
WUD-24	(2) 4-1/2 x 20" trough with anti-splash grate	29-1/2 x 24	(2) 5 x 20-1/2	30	\$1,350
WU-30	4-1/2 x 25-5/8" trough with anti-splash grate	24 x 29-3/4	5 x 26-1/4	30	\$854
WUD-30	(2) 4-1/2 x 25-5/8" trough with anti-splash grate	29-1/2 x 25-5/8	(2) 5 x 26-1/4	32	\$1,588
WU-35	4-1/2 x 31" trough with anti-splash grate	24 x 35	5 x 31-1/2	35	\$1,022
WUD-35	(2) 4-1/2 x 31" trough with anti-splash grate	29-1/2 x 35	(2) 5 x 31-1/2	37	\$1,768
WU-44	4-1/2 x 39-1/2" trough with anti-splash grate	24 x 39-1/2	5 x 40	40	\$1,180
WUD-44	(2) 4-1/2 x 39-1/2" trough with anti-splash grate	29-1/2 x 39-1/2	(2) 5 x 43-1/2	42	\$2,284
<b>NOTE:</b> Trough(s) is/are provided with a 3/4" dia. drain on operator's left. FREIGHT CLASS - UPS.					

  
WUD-35





ADAPTER PLATES			
CODE	DESCRIPTION	SHIP WT. (LBS.)	LIST PRICE
AD-PLAIN	Solid stainless steel, 21" x 13"	7	\$278
AD-PERFORATED	Stainless steel, 21" x 13," perforated	7	\$458
AD-GP	Carving station with sloped gravy pan	12	\$784
AD-GPD	Carving station with sloped gravy pan, double-width	16	\$1,098
AD-2610	Stainless steel, 21" x 13" with (1) 10-1/2" dia. & (1) 6-1/2" dia. openings	7	\$352
AD-28	Stainless steel, 21" x 13" with (2) 8-1/2" dia. openings	8	\$378
AD-36	Stainless steel, 21" x 13" with (3) 6-1/2" dia. openings	10	\$378
AD-365	Stainless steel, 21" x 13" with (2) 6-1/2" dia. & (1) 5" dia. openings	10	\$366
AD-35	Stainless steel, 21" x 13" with (3 ea.) 5" dia. openings	10	\$366
AD-65*	Stainless steel, 21" x 13" with (6 ea.) 5-1/8" dia. openings	10	\$384
AD-18B*	Stainless steel, 26-1/2" x 21" with (1 ea.) 16-1/2" dia. opening	15	\$426
AD-21B*	Stainless steel, 26-1/2" x 21" with (1 ea.) 18-1/2" dia. opening	10	\$426
AD-X	Extension to raise adapters 2-1/4"	5	\$352
S80103	Separator channel 20"	5	\$78
S80108	Adapter bar for 1/4 size pans	5	\$58
S80109	Adapter bar for 1/6 size pans	5	\$58
<b>NOTE:</b> *For use in cold serving units with salad bowls and dressing crocks.			

  
AD-GPD


  
AD-28


 CTIP-2436	COUNTER TOP ICE PANS Marche Style			
	MODEL	DESCRIPTION	SHIP WT. (LBS.)	LIST PRICE
	CTIP-2424	24"L x 24"W outer case, 3" front to 6" rear depth	70	\$2,788
	CTIP-2430	30"L x 24"W outer case, 3" front to 6" rear depth	80	\$3,068
	CTIP-2436	36"L x 24"W outer case, 3" front to 6" rear depth	90	\$3,652
	CTIP-2442	42"L x 24"W outer case, 3" front to 6" rear depth	100	\$4,044
	CTIP-2448	48"L x 24"W outer case, 3" front to 6" rear depth	110	\$4,190
	CTIP-2454	54"L x 24"W outer case, 3" front to 6" rear depth	120	\$4,640
	CTIP-2460	60"L x 24"W outer case, 3" front to 6" rear depth	130	\$4,940
	<b>NOTE:</b> 1/2" Drain with ball valve and 60" PVC drain tube. FREIGHT CLASS - 100.			


SPECIAL STAINLESS STEEL ADAPTER PLATES

	These adapter plates will fit any standard size refrigerated pan, including the RM-series with 3" recessed top.			
	MODEL	DESCRIPTION	SHIP WT. (LBS.)	LIST PRICE
	AD-3	Stainless Steel Adapter Plate, (8) 6-1/4" Cut-Outs, (1) 16" Cut-Out, 41" x 21-11/16" Overall Dimensions	10	\$1,038
	AD-4	Stainless Steel Adapter Plate, (14) 6-1/4" Cut-Outs, (1) 16" Cut-Out, 54-3/4" x 21-11/16" Overall Dimensions	15	\$1,292
	AD-5	Stainless Steel Adapter Plate, (17) 6-1/4" Cut-Outs, (1) 16" Cut-Out, 68-1/2" x 21-11/16" Overall Dimensions	20	\$1,584
	AD-6	Stainless Steel Adapter Plate, (23) 6-1/4" Cut-Outs, (1) 16" Cut-Out, 82-1/4" x 21-11/16" Overall Dimensions	25	\$1,782

SPECIAL STAINLESS STEEL ADAPTER PLATES

POLYETHYLENE TOP For Crock Inserts				 CT (USED WITH SF FRAME)
MODEL	CROCK CAPACITY	SHIP WT. (LBS.)	LIST PRICE	
CT-3	6/1	5	\$1,360	
CT-4	11/1	10	\$1,672	
CT-5	14/1	15	\$2,022	
CT-6	17/1	20	\$2,374	
NOTE: Used with SF frame.				


 SF	SPECIAL STAINLESS STEEL ADAPTER FRAME			
	MODEL	DESCRIPTION	SHIP WT. (LBS.)	LIST PRICE
	SF-3	24"L x 24"W outer case, 3" front to 6" rear depth	10	\$596
	SF-4	30"L x 24"W outer case, 3" front to 6" rear depth	10	\$718
	SF-5	36"L x 24"W outer case, 3" front to 6" rear depth	20	\$922
	SF-6	42"L x 24"W outer case, 3" front to 6" rear depth	20	\$1,098

MODEL	DESCRIPTION	SHIP WT. (LBS.)	LIST PRICE	 CTS
CTS	Polyethylene Top for 16" Salad Bowl, 1/2" Thick, Cameo White, Used with SF-22 Frame	10	\$722	
SF-22	Special Stainless Steel Adapter Frame, 22" x 27-5/8", Used with CTS	10	\$474	

ACCESSORIES

DESCRIPTION	PRICE					
		-2	-3	-4	-5	-6
Salad Crock 2.7 Quart Capacity	\$70					
Salad Bowl 16" Diameter	\$142					
DESCRIPTION		PRICE	PRICE	PRICE	PRICE	PRICE
1/2" Polyethylene 8" Cutting Board Mounted on SH Workshelf		\$204	\$232	\$270	\$298	\$366

SA = STAINLESS STEEL SLOPED ADAPTER FOR RM - RML UNITS

  SA	MODEL	DIMENSION (WIDTH)	COUNTER CUT-OUT REQUIRED	SHIP WT. (LBS.)	LIST PRICE
	SA-1	18-3/4"	25-3/4" x 17-3/4"	30	\$1,462
	SA-2	32-1/2"	25-3/4" x 31-1/2"	45	\$1,542
	SA-3	46-1/4"	25-3/4" x 45-1/4"	60	\$1,624
	SA-4	60"	25-3/4" x 59"	75	\$1,706
	SA-5	73-3/4"	25-3/4" x 72-3/4"	90	\$1,794
	SA-6	87-1/2"	25-3/4" x 86-1/2"	125	\$1,892
	MODEL	PRICE			
SAL-2	\$1,674				
SAL-3	\$1,844				
SAL-4	\$2,002				
<b>NOTE:</b> To relocate the RM-Drain and modify the compressor housing for USE with the SA-Sloped adapter add \$488 list.					




WIHL-2

SLIM-LINE HOT PAN						
Electrically Heated - Individual Control						
Optional Drain & Manifold						
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
WIHL-2	(2) 12" X 20" x 6" deep wells	16 x 46	14-1/4 x 44-1/4	14.2 Amps-1.7 KW,* 120V	104	\$2,792
WIHL-3	(3) 12" x 20" x 6" deep wells	16 x 67-3/4	14-1/4 x 66	12.3 Amps-2.55 KW,** 208V	145	\$3,804
WIHL-4	(4) 12" x 20" x 6" deep wells	16 x 89-1/2	14-1/4 x 87-3/4	16.3 Amps-3.4 KW,** 208V	214	\$4,806
<b>NOTE:</b> Electrical information is based on 850 watt elements. 1000 watt elements are available. <b>Specify.</b> Units are available with single controls (WHL Series). <b>Contact Factory.</b> *Unit is available for 208 or 240 volts. **Units are available for 240 volts. FREIGHT CLASS - 150.						




SLIM-LINE ICED COLD PAN					
Standard Depth					
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	SHIP WT. (LBS.)	LIST PRICE
WICL-2	11-7/8 x 41-3/4 x 4-5/8" deep pan	16 x 46	14-1/4 x 44-1/4	78	\$1,972
WICL-3	11-7/8 x 63-1/2 x 4-5/8" deep pan	16 x 67-3/4	14-1/4 x 66	102	\$2,436
WICL-4	11-7/8 x 85-1/4 x 4-5/8" deep pan	16 x 89-1/2	14-1/4 x 87-3/4	130	\$2,790
<b>NOTE:</b> A 3/4" dia. drain and valve, and separator channels are provided. FREIGHT CLASS - 100.					



WICL-2




 WICDL-2	SLIM-LINE ICED COLD PAN					
	Full Depth					
	MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	WICDL-2	11-7/8 x 41-3/4 x 9-3/4" deep pan	16 x 46	14-1/4 x 44-1/4	98	\$2,214
	WICDL-3	11-7/8 x 63-1/2 x 9-3/4" deep pan	16 x 67-3/4	14-1/4 x 66	120	\$2,790
	WICDL-4	11-7/8 x 85-1/4 x 9-3/4" deep pan	16 x 89-1/2	14-1/4 x 87-3/4	156	\$3,208
<b>NOTE:</b> A 3/4" dia. drain and valve, and separator channels are provided. FREIGHT CLASS - 100.						

ACCESSORIES


CODE	DESCRIPTION	-2		-3		-4	
		WT.	PRICE	WT.	PRICE	WT.	PRICE
RT	Remote thermostats for counter mounting with 36" long lead	-	\$450	-	\$494	-	\$552
RTL	Remote thermostats for counter mounting with 72" long lead	-	\$592	-	\$770	-	\$912
D	Individual drain and valve for each well (Hot serving unit only)	8	\$332	12	\$486	16	\$648
DM	Individual drain for each well with manifold to single valve (Hot serving unit only)	15	\$484	20	\$718	25	\$944
DMV	Individual drain & valve for each well with manifold to single valve (Hot serving unit only)	16	\$610	21	\$906	26	\$1,212
DME	Individual drain for each well with manifold to single valve w/ rear ext.	15	\$796	20	\$1,026	25	\$1,252
RDVE	Rear extension for DM, DMV (1) Required	5	\$322	5	\$322	5	\$322
WFBL	Stainless steel perforated false bottom (Cold serving units only)	12	\$412	15	\$488	20	\$646
AF	Automatic water fill	5	\$2,684	5	\$2,684	5	\$2,684
CPL	Cover plate with handles, S/S	30	\$354	35	\$444	40	\$614
MS	Master on/off switch	2	\$412	2	\$412	2	\$412

**NOTE:** Adapter plate pricing on pages 47-49.  
There is no charge to change voltages on the hot serving units.


 WCML-2	SLIM-LINE REFRIGERATED COLD PAN Standard Depth (Non NSF-7)						
	MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	WCML-2	11-7/8 x 41-3/4 x 4-5/8" deep pan	16 x 46	14-1/4 x 44-1/4	3.9 Amps-120V, 1/5 HP	145	\$4,078
	WCML-3	11-7/8 x 63-1/2 x 4-5/8" deep pan	16 x 67-3/4	14-1/4 x 66	3.9 Amps-120V, 1/5 HP	200	\$4,806
	WCML-4	11-7/8 x 85-1/4 x 4-5/8" deep pan	16 x 89-1/2	14-1/4 x 87-3/4	6.8 Amps-120V, 1/4 HP	245	\$5,408
<b>NOTE:</b> A 3/4" drain and valve, and separator channels are provided. <b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 150.							



SLIM-LINE REFRIGERATED COLD PAN Full Depth with Side Coils (Non NSF-7)						
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
WCMDCL-2	11-7/8 x 41-3/4 x 9-3/4" deep pan	16 x 46	14-1/4 x 44-1/4	3.9 Amps-120V, 1/5 HP	160	\$4,644
WCMDCL-3	11-7/8 x 63-1/2 x 9-3/4" deep pan	16 x 67-3/4	14-1/4 x 66	3.9 Amps-120V, 1/5 HP	220	\$5,300
WCMDCL-4	11-7/8 x 85-1/4 x 9-3/4" deep pan	16 x 89-1/2	14-1/4 x 87-3/4	6.8 Amps-120V, 1/4 HP	285	\$6,072
<b>NOTE:</b> A 3/4" drain and valve, and separator channels are provided. <b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 150.						

  
WCMDCL-2




 RML-2	SLIM-LINE REFRIGERATED COLD PAN 3" Recessed Top (NSF-7)						
	MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	RML-2	11-7/8 x 41-3/4 x 9" deep pan	18-1/4 x 48-1/8	16-1/2 x 46-1/2	6.0 Amps-120 V, 1/4 HP	190	\$5,474
	RML-3	11-7/8 x 63-1/2 x 9" deep pan	18-1/4 x 69-7/8	16-1/2 x 68-1/4	6.0 Amps-120 V, 1/4 HP	235	\$6,106
	RML-4	11-7/8 x 85-1/4 x 9" deep pan	18-1/4 x 91-3/4	16-1/2 x 90	7.8 Amps-120 V, 1/3 HP	280	\$7,078
<b>NOTE:</b> A 3/4" drain and valve, and separator channels are provided. <b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 150.							

ACCESSORIES

CODE	DESCRIPTION	-2		-3		-4	
		WT.	PRICE	WT.	PRICE	WT.	PRICE
CPL	Cover plate w/handles, S/S	35	\$354	40	\$444	45	\$614
RS	Remote on/off switch	7	\$282	7	\$282	7	\$282
WFBL	Stainless steel perforated false bottom	12	\$412	15	\$488	20	\$646
RMLX	Remote unit less compressor	140	\$3,234	170	\$3,642	240	\$4,132




SLIM-LINE ICE CREAM FREEZER Refrigerated, Self-Contained						
MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
WDF-L	22-1/2 x 11-1/4 x 13" deep, 1.8 cu. ft. capacity	16-1/2 x 27-3/4	15 x 26	2.4 Amps-120V, 1/5 HP	40	\$5,560
<b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. FREIGHT CLASS - 150.						

  
WDF-L


ACCESSORIES

DESCRIPTION	PRICE
Hinged Plexiglas lid, WDF-L	\$518
Lid locking device, LLD	\$536





 WSB-15	WATER STATION with Ice Chest					
	MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	WSB-15	11 x 15" opening, 40 lbs. capacity	15-1/4 x 27	13-1/2 x 25-1/4	34	\$2,212
	WSB-19	11 x 15" opening, 60 lbs. capacity	19 x 24	17-1/4 x 22-1/4	46	\$2,312
	<b>NOTE:</b> A 1" dia. threaded drain is provided for the ice chest; a 1/4" IPS drain is provided for the drain trough. A 1/4" water inlet is required. FREIGHT CLASS - 100.					



 WB-19	ICE CHEST					
	MODEL	DESCRIPTION	FLANGE W x L (INCHES)	OPENING W x L (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	WB-15	11 x 15" opening, 40 lbs. capacity	15-1/4 x 19	13-1/2 x 17-1/4	40	\$1,730
	WB-19	11 x 15" opening, 60 lbs. capacity	19 x 24	17-1/4 x 22-1/4	46	\$1,990
	<b>NOTE:</b> A 1" dia. threaded drain is provided. FREIGHT CLASS - 100.					

REFRIGERATED BASE Self-Contained, Solid Top, Under Counter					
MODEL	DESCRIPTION	COUNTER CUT-OUT L x H x D (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
RB-4	Single door, holds (10) 12 x 20 x 2-1/2" pans - 8 cu. ft.	55-5/8 x 23-5/8 x 23-5/8	6.8 Amps-120V, 1/4 HP	300	\$8,400
RB-5	Double door, holds (15) 12 x 20 x 2-1/2" pans - 10 cu. ft.	69-1/2 x 23-5/8 x 23-5/8	6.8 Amps-120V, 1/4 HP	365	\$10,898
<b>NOTE:</b> For 5-year compressor warranty, add \$125 NET. <b>NOTE:</b> To connect to drop in unit, add \$988 LIST. FREIGHT CLASS - 150.					

  
RB-4

 HB-3	HEATED BASE Electrically Heated, Under Counter					
	MODEL	DESCRIPTION	COUNTER CUT-OUT L x H x D (INCHES)	ELECTRICAL CHARACTERISTICS	SHIP WT. (LBS.)	LIST PRICE
	HB-3	Double door, holds (8) 12 x 20 x 2-1/2" pans	41-7/8 x 15-3/4 x 23-5/8	850W-7.1 Amps, 120V	215	\$6,410
	HB-4	Double door, holds (12) 12 x 20 x 2-1/2" pans	55-5/8 x 15-3/4 x 23-5/8	850W-7.1 Amps, 120V	255	\$7,240
	HB-5	Double door, holds (16) 12 x 20 x 2-1/2" pans	69-3/8 x 15-3/4 x 23-5/8	850W-7.1 Amps, 120V	292	\$8,204
	FREIGHT CLASS - 100.					

ELECTRICAL POWER REQUIREMENTS






ELECTRICAL CHARACTERISTICS		
MODEL	VOLTAGE / KW / AMPS	NEMA# PLUG
WH-2 850 Watt	120V - 1.7 KW - 14.2 208V - 1.7 KW - 8.2 240V - 1.7 KW - 7.1	5-20P 6-15P 6-15P
1000 Watt	120V - 2.00 KW - 16.7 208V - 2.0 KW - 9.6 240V - 2.0 KW - 8.3	L5-30P 6-15P 6-15P
WH-3 850 Watt	120V - 2.55 KW - 21.3 208V - 2.55 KW - 12.3 240V - 2.55 KW - 10.6	L5-30P L6-20P 6-15P
1000 Watt	120V - 3.00 KW - 25.0 208V - 3.0 KW - 14.4 240V - 3.0 KW - 12.5	5-50P L6-20P L6-20P
WH-4 850 Watt	208V - 3.4 KW - 16.4 240V - 4.0 KW - 16.7	L6-30P L6-20P
1000 Watt	208V - 4.25 KW - 20.4 240V - 4.0 KW - 16.7	L6-30P L6-30P
WH-5 850 Watt	208V - 4.25 KW - 20.4 240V - 4.25 KW - 17.7	L6-30P L6-30P
1000 Watt	208V - 5.0 KW - 24.0 240V - 5.0 KW - 20.8	L6-30P L6-30P
WH-6 850 Watt	208V - 5.1 KW - 24.5 240V - 5.1 KW - 21.3	6-50P L6-30P
1000 Watt	208V - 6.0 KW - 28.8 240V - 6.0 KW - 25.0	6-50P 6-50P

ELECTRICAL CHARACTERISTICS		
MODEL	VOLTAGE / KW / AMPS	NEMA# PLUG
WIH-1 1000 Watt	120V - 1.0 KW - 8.3 208V - 1.0 KW - 4.8 240V - 1.0 KW - 4.2	5-15P 6-15P 6-15P
WIH-3 850 Watt	120V - 1.7 KW - 14.2 208V - 1.7 KW - 8.2 240V - 1.7 KW - 7.1	5-20P 6-15P 6-15P
1000 Watt	120V - 2.0 KW - 16.7 208V - 2.0 KW - 9.6 240V - 2.0 KW - 8.3	L5-30P 6-15P 6-15P
WIH-3 850 Watt	120V - 2.55 KW - 16.7 208V - 2.0 KW - 12.3 240V - 2.55 KW - 10.6	L5-30P L6-20P 6-15P
1000 Watt	120V - 3.0 KW - 25.0 208V - 3.0 KW - 14.4 240V - 3.0 KW - 12.5	5-50P L6-20P L6-20P
WIH-4 850 Watt	208V - 3.4 KW - 16.4 240V - 3.4 KW - 14.2	L6-30P L6-20P
1000 Watt	208V - 4.0 KW - 19.2 240V - 4.0 KW - 16.7	L6-30P L6-30P
WIH-5 850 Watt	208V - 4.25 KW - 20.4 240V - 4.25 KW - 17.7	L6-30P L6-30P
1000 Watt	208V - 5.0 KW - 24.0 240V - 5.0 KW - 20.8	L6-30P L6-30P
WIH-6 850 Watt	208V - 5.1 KW - 24.5 240V - 5.1 KW - 21.3	6-50P L6-30P
1000 Watt	208V - 6.0 KW - 28.8 240V - 6.0 KW - 25.0	6-50P 6-50P


ELECTRICAL CHARACTERISTICS		
MODEL	VOLTAGE / KW / AMPS	NEMA# PLUG
WIHL-2 850 Watt	120V - 1.7 KW - 14.2 208V - 1.7 KW - 8.2 240V - 1.7 KW - 7.1	5-20P 6-15P 6-15P
1000 Watt	120V - 1.7 KW - 14.2 208V - 1.7 KW - 8.2 240V - 1.7 KW - 7.1	L5-30P 6-15P 6-15P
WIHL-3 850 Watt	120V - 2.0 KW - 16.7 208V - 2.0 KW - 9.6 240V - 2.0 KW - 8.3	L5-30P L6-20P 6-15P
1000 Watt	120V - 2.55 KW - 21.3 208V - 2.55 KW - 12.3 240V - 2.55 KW - 10.6	5-50P L6-20P L6-20P
WIHL-4 850 Watt	120V - 3.0 KW - 25.0 208V - 3.0 KW - 14.4 240V - 3.0 KW - 12.5	L6-30P L6-20P
1000 Watt	208V - 3.4 KW - 16.4 240V - 3.4 KW - 14.2	L6-30P L6-30P

MODEL	ELECTRICAL CHARACTERISTICS	NEMA# PLUG
RM-1	3.0 Amps - 120V - 1/5 HP	5-15P
RM-2	6.0 Amps - 120V - 1/4 HP	5-15P
RM-3	6.0 Amps - 120V - 1/4 HP	5-15P
RM-4	7.8 Amps - 120V - 1/3 HP	5-15P
RM-5	10.7 Amps - 120V - 1/2 HP	5-15P
RM-6	10.7 Amps - 120V - 1/2 HP	5-15P

MODEL	ELECTRICAL CHARACTERISTICS	NEMA# PLUG
RML-2	6.0 Amps - 120V - 1/4 HP	5-15P
RML-3	6.0 Amps - 120V - 1/4 HP	5-15P
RML-4	7.8 Amps - 120V - 1/3 HP	5-15P

PLUG CONFIGURATION
 5-15P
 6-15P
 L6-20P
 L6-30P
 L6-50P

ELECTRICAL POWER REQUIREMENTS



ELECTRICAL CHARACTERISTICS		
MODEL	AMPS / VOLTAGE / HP	NEMA# PLUG
WCML-2 WCMDCL-2	3.9 Amps - 120V - 1/5 HP	5-15P
WCML-3 WCMDCL-3	3.9 Amps - 120V - 1/5 HP	5-15P
WCML-4 WCMDCL-4	6.8 Amps - 120V - 1/4 HP	5-15P

ELECTRICAL CHARACTERISTICS		
MODEL	AMPS / VOLTAGE / HP	NEMA# PLUG
WF-2	3.9 Amps - 120V - 1/5 HP	5-15P
WF-3	6.8 Amps - 120V - 1/4 HP	5-15P
WF-4	9.8 Amps - 120V - 1/3 HP	5-15P
WF-5	9.8 Amps - 120V - 1/2 HP	5-15P
WF-6	10.7 Amps - 120V - 1/2 HP	5-15P

WDFL-L	2.4 Amps - 120V - 1/5 HP	5-15P
WDF-2	6.8 Amps - 120V - 1/4 HP	5-15P
WDF-3	6.8 Amps - 120V - 1/4 HP	5-15P

WCM-BT-3	6.8 Amps - 120V - 1/4 HP	5-15P
WCM-BT-4	9.2 Amps - 120V - 1/3 HP	5-15P
WCM-BT-5	9.2 Amps - 120V - 1/3 HP	5-15P
WCM-BT-6	9.2 Amps - 120V - 1/3 HP	5-15P

WCPT-3	11.0 Amps - 120V - 1/2 HP	5-15P
WCPT-4	11.0 Amps - 120V - 1/2 HP	5-15P

ELECTRICAL CHARACTERISTICS		
MODEL	AMPS / VOLTAGE / HP	NEMA# PLUG
WCM-1 WCMD-C-1	2.4 Amps - 120V - 1/5 HP	5-15P
WCM-2 WCMD-C-2	3.9 Amps - 120V - 1/5 HP	5-15P
WCM-3 WCMD-C-3	3.9 Amps - 120V - 1/5 HP	5-15P
WCM-4 WCMD-C-4	6.8 Amps - 120V - 1/4 HP	5-15P
WCM-5 WCMD-C-5	9.8 Amps - 120V - 1/3 HP	5-15P
WCM-6 WCMD-C-6	9.8 Amps - 120V - 1/3 HP	5-15P


MODEL	ELECTRICAL CHARACTERISTICS	NEMA# PLUG
RB-4	6.8 Amps - 120V - 1/4 HP	5-15P
RB-5	6.8 Amps - 120V - 1/4 HP	5-15P
HB-3	850 W - 7.1 Amps - 120V	5-15P
HB-4	850 W - 7.1 Amps - 120V	5-15P
HB-5	850 W - 7.1 Amps - 120V	5-15P

MODEL	ELECTRICAL CHARACTERISTICS	NEMA# PLUG
WCM-HP-2	2.4 Amps - 1/5 HP 16.7 Amps - 2.0 KW - 120V	L5-30P
WCM-HP-3	2.4 Amps - 1/5 HP 16.7 Amps - 2.0 KW - 120V	L5-30P
WCM-HP-4	6.8 Amps - 1/4 HP 3.0 KW 120V / 208V / 14.2 Amps 120V / 240V / 12.5 Amps	L14-30P
WCM-HP-5	9.8 Amps - 1/3 HP 4.0 KW 120V / 208V / 19.2 Amps 120V / 240V / 16.7 Amps	L14-30P
WCM-HP-6	9.8 Amps - 1/3 HP 4.0 KW 120V / 208V / 19.2 Amps 120V / 240V / 16.7 Amps	L14-30P


ELECTRICAL POWER REQUIREMENTS

ELECTRICAL CHARACTERISTICS						
MODEL	VOLTAGE	AMPS HOT	WATTS	HP	AMPS COLD	NEMA# PLUG
RM-HP-1	120	16.7	2.0KW	1/5	3.0	L5-30P
RM-HP-2	120	16.7	2.0KW	1/4	6.0	L5-30P
	120/208	14.5	3.0KW	1/4	6.0	L14-30P
	120/240	12.5	3.0KW	1/4	6.0	L14-30P
RM-HP-3	120	16.7	2.0KW	1/4	6.0	L5-30P
RM-HP-4	120/208	14.5	3.0KW	1/3	7.8	L14-30P
	120/240	12.5	3.0KW	1/3	7.8	L14-30P
RM-HP-5	120/208	19.3	4.0KW	1/2	10.7	L14-30
	120/240	16.7	4.0KW	1/2	10.7	L14-30
RM-HP-6	120/208	19.3	4.0KW	1/2	10.7	L14-30
	120/240	16.7	4.0KW	1/2	10.7	L14-30


DISH DISPENSERS - DROP-IN


 PD SERIES	UNHEATED OPEN TUBE Field Adjustable					
	MODEL	FLANGE (DIA.) (INCHES)	OPENING (DIA.) (INCHES)	NOMINAL CHINA RANGE	SHIP WT. (LBS.)	LIST PRICE
	PD-5	8-3/8	7-3/4	3-1/2 - 5"	12	\$738
	PD-5 3/4	9-1/8	8-1/2	5-1/8 - 5-3/4"	13	\$746
	PD-6 1/2	9-7/8	9-1/4	5-5/8 - 6-1/2"	14	\$766
	PD-7 1/4	10-5/8	10	6-7/8 - 7-1/4"	16	\$836
	PD-8 1/8	11-1/2	10-7/8	7-3/8 - 8-1/8"	18	\$870
	PD-9 1/8	12-1/2	11-7/8	8-1/4 - 9-1/8"	20	\$910
	PD-10 1/8	13-1/2	12-7/8	9-1/4 - 10-1/8"	23	\$976
	PD-12	15-3/8	14-3/4	10-3/4 - 12"	25	\$1,072
	PD-14-1/2	17-7/8	17-1/4	13 - 14-1/2"	37	\$1,456

DISH DISPENSERS - DROP-IN

 PDH SERIES	HEATED SHIELDED TUBE Field Adjustable						
	MODEL	FLANGE (DIA.) (INCHES)	OPENING (DIA.) (INCHES)	NOMINAL CHINA RANGE	ELECTRICAL 20 VOLTS	SHIP WT. (LBS.)	LIST PRICE
	PDH-5	8-3/8	7-3/4	3-1/2 - 5"	210 W - 1.8 Amps	22	\$1,328
	PDH-5 3/4	9-1/8	8-1/2	5-1/8 - 5-3/4"	240 W - 2.0 Amps	24	\$1,378
	PDH-6 1/2	9-7/8	9-1/4	5-5/8 - 6-1/2"	270 W - 2.3 Amps	26	\$1,434
	PDH-7 1/4	10-5/8	10	6-7/8 - 7-1/4"	300 W - 2.5 Amps	28	\$1,622
	PDH-8 1/8	11-1/2	10-7/8	7-3/8 - 8-1/8"	330 W - 2.8 Amps	30	\$1,672
	PDH-9 1/8	12-1/2	11-7/8	8-1/4 - 9-1/8"	380 W - 3.2 Amps	32	\$1,750
	PDH-10 1/8	13-1/2	12-7/8	9-1/4 - 10-1/8"	420 W - 3.5 Amps	36	\$1,846
	PDH-12	15-3/8	14-3/4	10-3/4 - 12"	500 W - 4.2 Amps	41	\$2,032
	PDH-14-1/2	17-7/8	17-1/4	13 - 14-1/2"	550 W - 4.6 Amps	50	\$2,408



 PDS SERIES	UNHEATED SHIELDED TUBE Field Adjustable					
	MODEL	FLANGE (DIA.) (INCHES)	OPENING (DIA.) (INCHES)	NOMINAL CHINA RANGE	SHIP WT. (LBS.)	LIST PRICE
	PDS-5	8-3/8	7-3/4	3-1/2 - 5"	22	\$870
	PDS-5 3/4	9-1/8	8-1/2	5-1/8 - 5-3/4"	24	\$898
	PDS-6 1/2	9-7/8	9-1/4	5-5/8 - 6-1/2"	26	\$924
	PDS-7 1/4	10-5/8	10	6-7/8 - 7-1/4"	28	\$990
	PDS-8 1/8	11-1/2	10-7/8	7-3/8 - 8-1/8"	30	\$1,088
	PDS-9 1/8	12-1/2	11-7/8	8-1/4 - 9-1/8"	32	\$1,154
	PDS-10 1/8	13-1/2	12-7/8	9-1/4 - 10-1/8"	36	\$1,182
	PDS-12	15-3/8	14-3/4	10-3/4 - 12"	42	\$1,284
	PDS-14-1/2	17-7/8	17-1/4	13 - 14-1/2"	48	\$1,710

 PDH-TA SERIES	THERMAL AIR HEATING						
	MODEL	FLANGE (DIA.) (INCHES)	OPENING (DIA.) (INCHES)	NOMINAL CHINA RANGE	ELECTRICAL 20 VOLTS	SHIP WT. (LBS.)	LIST PRICE
	PDH-TA-9-1/8	12-1/2	11-7/8	8-1/4 - 9-1/8"	535 W - 4.5 Amps	37	\$2,190
	PDH-TA-10-1/8	13-1/2	12-7/8	9-1/4 - 10-1/8"	535 W - 4.5 Amps	42	\$2,314
	PDH-TA-12	15-3/8	14-3/4	10-3/4 - 12"	535 W - 4.5 Amps	44	\$2,594
	PDH-TA-14-1/2	17-7/8	17-1/4	13 - 14-1/2"	535 W - 4.5 Amps	47	\$2,826

**NOTE:** Under counter clearance is 27-1/2" to 29". Each tube dispenser holds approximately 72 plates or 36 bowls; CAPACITY MAY VARY depending on plate or bowl manufacturer. FREIGHT CLASS - UPS.




ACCESSORIES


DESCRIPTION	SHIP WT. (LBS.)	PRICE
Modify height	-	+10%
220/240 volt operation (specify)	-	N/C
Stainless steel trays to convert PD-12 to cup dispenser	2	\$48
Stainless steel pre-heat tube covers		
	Size 5 to 7-1/4	2 \$210
	Size 8-1/8 to 12	4 \$250
PDOH series units	4	\$258

**NOTE:** PD-SQ (square) dish tubes are available for larger diameter round plates. Contact Factory - sample plate or tracing required.


PLATTER DISPENSERS - DROP-IN - OVAL PLATES

 <p>PDO SERIES</p>	UNHEATED OPEN TUBE Field Adjustable					
	MODEL	FLANGE (L x W) (INCHES)	OPENING (L x W) (INCHES)	MAXIMUM DISH SIZE	SHIP WT. (LBS.)	LIST PRICE
	PDO-8 1/2	12 x 10-1/8	11 x 9-1/8	8-1/2 x 6-5/8"	25	\$2,406
	PDO-9 7/8	13-3/8 x 10-3/4	12-3/8 x 9-3/4	9-7/8 x 7-1/4"	27	\$2,406
	PDO-9 7/8L	13-3/8 x 12-1/4	12-3/8 x 11-1/4	9-7/8 x 8-3/4"	28	\$2,406
	PDO-10 1/2	14 x 11-7/8	13 x 10-7/8	10-1/2 x 8-3/8"	29	\$2,576
	PDO-11 3/4	15-1/4 x 12-1/4	14-1/4 x 11-1/4	11-3/4 x 8-3/4"	31	\$2,576
	PDO-11 3/4L	15-1/4 x 13-5/8	14-1/4 x 12-5/8	11-3/4 x 10-1/8"	32	\$2,576
	PDO-12 5/8	16-1/8 x 13	15-1/8 x 12	12-5/8 x 9-1/2"	35	\$2,696
	PDO-12 5/8L	16-1/8 x 14-3/8	15-1/8 x 13-3/8	12-5/8 x 10-7/8"	36	\$2,696
	PDO-13 3/4	17-1/4 x 12-3/4	16-1/4 x 11-3/4	13-3/4 x 9-1/4"	39	\$2,696
	PDO-13 3/4L	17-1/4 x 14-1/8	16-1/4 x 13-1/8	13-3/4 x 10-5/8"	40	\$2,696
	PDO-14	17-1/4 x 13-3/8	16-1/4 x 12-3/8	14 x 9-7/8"	43	\$2,774
	PDO-15	18-1/2 x 14-1/2	17-1/2 x 13-1/2	15 x 11"	45	\$2,774



 <p>PDOS SERIES</p>	UNHEATED SHIELDED TUBE Field Adjustable					
	MODEL	FLANGE (L x W) (INCHES)	OPENING (L x W) (INCHES)	MAXIMUM DISH SIZE	SHIP WT. (LBS.)	LIST PRICE
	PDOS-8 1/2	10-1/8 x 12	9-1/8 x 11	8-1/2 x 6-5/8"	30	\$2,550
	PDOS-9 7/8	10-3/4 x 13-3/8	9-3/4 x 12-3/8	9-7/8 x 7-1/4"	32	\$2,550
	PDOS-9 7/8L	13-3/8 x 12-1/4	12-3/8 x 11-1/4	9-7/8 x 8-3/4"	33	\$2,550
	PDOS-10 1/2	14 x 11-7/8	13 x 10-7/8	10-1/2 x 8-3/8"	36	\$2,718
	PDOS-11 3/4	15-1/4 x 12-1/4	14-1/4 x 11-1/4	11-3/4 x 8-3/4"	38	\$2,718
	PDOS-11 3/4L	15-1/4 x 13-5/8	14-1/4 x 12-5/8	11-3/4 x 10-1/8"	39	\$2,718
	PDOS-12 5/8	16-1/8 x 13	15-1/8 x 12	12-5/8 x 9-1/2"	40	\$2,842
	PDOS-12 5/8L	16-1/8 x 14-3/8	15-1/8 x 13-3/8	12-5/8 x 10-7/8"	41	\$2,842
	PDOS-13 3/4	17-1/4 x 12-3/4	16-1/4 x 11-3/4	13-3/4 x 9-1/4"	43	\$2,842
	PDOS-13 3/4L	17-1/4 x 14-1/8	16-1/4 x 13-1/8	13-3/4 x 10-5/8"	44	\$2,842
	PDOS-14	17-1/4 x 13-3/8	16-1/4 x 12-3/8	14 x 9-7/8"	46	\$3,478
	PDOS-15	18-1/2 x 14-1/2	17-1/2 x 13-1/2	15 x 11"	49	\$3,478


PLATTER DISPENSERS - DROP-IN - OVAL PLATES

 <p>PDOH SERIES</p>	HEATED SHIELDED TUBE Field Adjustable						
	MODEL	FLANGE (L x W) (INCHES)	OPENING (L x W) (INCHES)	MAXIMUM DISH SIZE	ELECTRICAL	SHIP WT. (LBS.)	LIST PRICE
	PDOH-8 1/2	12 x 10-1/8	11 x 9-1/8	8-1/2 x 6-5/8"	535 W - 4.5 Amps	35	\$3,684
	PDOH-9 7/8	13-3/8 x 10-3/4	12-3/8 x 9-3/4	9-7/8 x 7-1/4"	535 W - 4.5 Amps	37	\$3,684
	PDOH-9 7/8L	13-3/8 x 12-1/4	12-3/8 x 11-1/4	9-7/8 x 8-3/4"	535 W - 4.5 Amps	38	\$3,694
	PDOH-10 1/2	14 x 11-7/8	13 x 10-7/8	10-1/2 x 8-3/8"	535 W - 4.5 Amps	39	\$3,794
	PDOH-11 3/4	15-1/4 x 12-1/4	14-1/4 x 11-1/4	11-3/4 x 8-3/4"	535 W - 4.5 Amps	41	\$3,794
	PDOH-11 3/4L	15-1/4 x 13-5/8	14-1/4 x 12-5/8	11-3/4 x 10-1/8"	535 W - 4.5 Amps	42	\$3,794
	PDOH-12 5/8	16-1/8 x 13	15-1/8 x 12	12-5/8 x 9-1/2"	535 W - 4.5 Amps	43	\$4,026
	PDOH-12 5/8L	16-1/8 x 14-3/8	15-1/8 x 13-3/8	12-5/8 x 10-7/8"	535 W - 4.5 Amps	44	\$4,026
	PDOH-13 3/4	17-1/4 x 12-3/4	16-1/4 x 11-3/4	13-3/4 x 9-1/4"	535 W - 4.5 Amps	47	\$4,026
	PDOH-13 3/4L	17-1/4 x 14-1/8	16-1/4 x 13-1/8	13-3/4 x 10-5/8"	535 W - 4.5 Amps	48	\$4,026
	PDOH-14	17-1/4 x 13-3/8	16-1/4 x 12-3/8	14 x 9-7/8"	535 W - 4.5 Amps	51	\$4,256
	PDOH-15	18-1/2 x 14-1/2	17-1/2 x 13-1/2	15 x 11"	535 W - 4.5 Amps	55	\$4,256


NOTE: Under counter clearance is 27-1/2" to 29". Accessories are on page 65. FREIGHT CLASS - UPS.




DISH DISPENSERS - MOBILE - ENCLOSED

 MEPD2/H SERIES	2-STACK NON-HEATED Field Adjustable					2-STACK HEATED Field Adjustable				
	NON-HEATED MODEL	DIMENSIONS L x W x H (INCHES)	NOMINAL CHINA RANGE	SHIP WT. (LBS.)	LIST PRICE	HEATED MODEL	KW	AMPS.	SHIP WT. (LBS.)	LIST PRICE
	MEPD2-5	24 x 16 x 36	3-1/2 - 5"	110	\$3,448	MEPD2H-5	.42	3.5	140	\$4,940
	MEPD2-5 3/4	24 x 16 x 36	5-1/8 - 5-3/4"	112	\$3,552	MEPD2H-5 3/4	.48	4.0	142	\$4,948
	MEPD2-6 1/2	24 x 16 x 36	5-5/8 - 6-1/2"	117	\$3,602	MEPD2H-6 1/2	.4	4.5	146	\$4,972
	MEPD2-7 1/4	24 x 16 x 36	6-7/8 - 7-1/4"	121	\$3,626	MEPD2H-7 1/4	.6	5.0	155	\$5,004
	MEPD2-8 1/8	30 x 16 x 36	7-3/8 - 8-1/8"	136	\$3,830	MEPD2H-8 1/8	.66	5.5	167	\$5,306
	MEPD2-9 1/8	30 x 16 x 36	8-1/4 - 9-1/8"	138	\$3,998	MEPD2H-9 1/8	.76	6.3	173	\$5,406
	MEPD2-10 1/8	30 x 16 x 36	9-1/4 - 10-1/8"	141	\$4,084	MEPD2H-10 1/8	.84	7.0	180	\$5,412
	MEPD2-12	34 x 18 x 36	10-3/4 - 12"	155	\$4,350	MEPD2H-12	1.0	8.3	194	\$5,882

DISH DISPENSERS - MOBILE - ENCLOSED

 MEPD4/H SERIES	4-STACK NON-HEATED Field Adjustable					4-STACK HEATED Field Adjustable				
	NON-HEATED MODEL	DIMENSIONS L x W x H (INCHES)	NOMINAL CHINA RANGE	SHIP WT. (LBS.)	LIST PRICE	HEATED MODEL	KW	AMPS.	SHIP WT. (LBS.)	LIST PRICE
	MEPD4-5	24 x 24 x 36	3-1/2 - 5"	140	\$5,380	MEPD4H-5	.84	7.0	165	\$7,214
	MEPD4-5 3/4	24 x 24 x 36	5-1/8 - 5-3/4"	145	\$5,790	MEPD4H-5 3/4	.96	8.0	171	\$7,366
	MEPD4-6 1/2	24 x 24 x 36	5-5/8 - 6-1/2"	165	\$6,060	MEPD4H-6 1/2	1.08	9.0	196	\$7,382
	MEPD4-7 1/4	24 x 24 x 36	6-7/8 - 7-1/4"	178	\$6,178	MEPD4H-7 1/4	1.2	10.0	208	\$7,498
	MEPD4-8 1/8	30 x 30 x 36	7-3/8 - 8-1/8"	196	\$6,598	MEPD4H-8 1/8	1.32	11.0	227	\$8,224
	MEPD4-9 1/8	30 x 30 x 36	8-1/4 - 9-1/8"	202	\$6,686	MEPD4H-9 1/8	1.52	12.7	235	\$8,246
	MEPD4-10 1/8	30 x 30 x 36	9-1/4 - 10-1/8"	220	\$7,000	MEPD4H-10 1/8	1.68	14.0	254	\$8,732
	MEPD4-12	34 x 34 x 36	10-3/4 - 12"	235	\$8,040	MEPD4H-12	2.0	16.7	314	\$9,096


**NOTE:** All units are provided with 4" dia. swivel casters. Each tube dispenser holds approximately 72 plates or 36 bowls; CAPACITY MAY VARY depending on plate or bowl manufacturer. Dispensers are available for platters and square plates. Contact Factory - sample plate or tracing required. FREIGHT CLASS - 92.5.

 MEPD3/H SERIES	3-STACK NON-HEATED Field Adjustable					3-STACK HEATED Field Adjustable				
	NON-HEATED MODEL	DIMENSIONS L x W x H (INCHES)	NOMINAL CHINA RANGE	SHIP WT. (LBS.)	LIST PRICE	HEATED MODEL	KW	AMPS.	SHIP WT. (LBS.)	LIST PRICE
	MEPD3-5	32 x 16 x 36	3-1/2 - 5"	130	\$4,220	MEPD3H-5	.63	5.3	145	\$5,982
	MEPD3-5 3/4	32 x 16 x 36	5-1/8 - 5-3/4"	135	\$4,578	MEPD3H-5 3/4	.72	6.0	151	\$6,226
	MEPD3-6 1/2	36-1/2 x 16 x 36	5-5/8 - 6-1/2"	155	\$4,884	MEPD3H-6 1/2	.81	6.8	176	\$6,344
	MEPD3-7 1/4	36-1/2 x 16 x 36	6-7/8 - 7-1/4"	168	\$4,968	MEPD3H-7 1/4	.9	7.5	189	\$6,356
	MEPD3-8 1/8	42 x 16 x 36	7-3/8 - 8-1/8"	186	\$5,142	MEPD3H-8 1/8	.99	8.3	207	\$6,902
	MEPD3-9 1/8	42 x 16 x 36	8-1/4 - 9-1/8"	192	\$5,184	MEPD3H-9 1/8	1.14	9.5	215	\$6,974
	MEPD3-10 1/8	46 x 16 x 36	9-1/4 - 10-1/8"	210	\$5,314	MEPD3H-10 1/8	1.26	10.5	234	\$7,030
	MEPD3-12	51 x 18 x 36	10-3/4 - 12"	225	\$6,050	MEPD3H-12	1.5	12.5	256	\$7,084


ACCESSORIES

DESCRIPTION	SHIP WT. (LBS.)	PRICE
Modify height	-	+10%
220/240 volt operation (specify)	-	N/C
Stainless steel trays to convert PD-12 to cup dispenser	2	\$48
Plastic laminate panels (set of 4)	15	\$424
Stainless steel pre-heat tube covers		
	Size 5 to 7-1/4	2 \$210
	Size 8-1/8 to 12	4 \$250
LB - Locking brakes (set of 2)	5	\$74
WB - Wrap around bumpers	8	\$418


DISH DISPENSERS - MOBILE - OPEN

 MOPD2/H SERIES	2-STACK NON-HEATED Field Adjustable					2-STACK HEATED Field Adjustable				
	NON-HEATED MODEL	DIMENSIONS L x W x H (INCHES)	NOMINAL CHINA RANGE	SHIP WT. (LBS.)	LIST PRICE	HEATED MODEL	KW	AMPS.	SHIP WT. (LBS.)	LIST PRICE
	MOPD2-5	24-5/8 x 15-1/8 x 36	3-1/2 - 5"	115	\$2,384	MOPD2H-5	.42	3.5	120	\$3,510
	MOPD2-5 3/4	24-5/8 x 15-1/8 x 36	5-1/8 - 5-3/4"	121	\$2,586	MOPD2H-5 3/4	.48	4.0	127	\$3,670
	MOPD2-6 1/2	24-5/8 x 15-1/8 x 36	5-5/8 - 6-1/2"	123	\$2,632	MOPD2H-6 1/2	.54	4.5	128	\$3,818
	MOPD2-7 1/4	24-5/8 x 15-1/8 x 36	6-7/8 - 7-1/4"	126	\$2,714	MOPD2H-7 1/4	.6	5.0	134	\$3,958
	MOPD2-8 1/8	30-3/8 x 16-1/8 x 36	7-3/8 - 8-1/8"	140	\$2,846	MOPD2H-8 1/8	.66	5.5	138	\$4,180
	MOPD2-9 1/8	30-3/8 x 16-1/8 x 36	8-1/4 - 9-1/8"	143	\$2,952	MOPD2H-9 1/8	.76	6.3	141	\$4,322
	MOPD2-10 1/8	30-3/8 x 16-1/8 x 36	9-1/4 - 10-1/8"	147	\$3,032	MOPD2H-10 1/8	.84	7.0	142	\$4,504
	MOPD2-12	34-1/8 x 18 x 36	10-3/4 - 12"	155	\$3,434	MOPD2H-12	1.0	8.3	235	\$4,928

DISH DISPENSERS - MOBILE - OPEN

 MOPD4/H SERIES	4-STACK NON-HEATED Field Adjustable					4-STACK HEATED Field Adjustable				
	NON-HEATED MODEL	DIMENSIONS L x W x H (INCHES)	NOMINAL CHINA RANGE	SHIP WT. (LBS.)	LIST PRICE	HEATED MODEL	KW	AMPS.	SHIP WT. (LBS.)	LIST PRICE
	MOPD4-5	24-5/8 x 24-5/8 x 36	3-1/2 - 5"	125	\$4,276	MOPD4H-5	.84	7.0	151	\$6,226
	MOPD4-5 3/4	24-5/8 x 24-5/8 x 36	5-1/8 - 5-3/4"	134	\$4,358	MOPD4H-5 3/4	.96	8.0	163	\$6,506
	MOPD4-6 1/2	24-5/8 x 24-5/8 x 36	5-5/8 - 6-1/2"	143	\$4,518	MOPD4H-6 1/2	1.08	9.0	165	\$6,886
	MOPD4-7 1/4	24-5/8 x 24-5/8 x 36	6-7/8 - 7-1/4"	145	\$4,794	MOPD4H-7 1/4	1.2	10.0	167	\$7,194
	MOPD4-8 1/8	30-3/8 x 30-3/8 x 36	7-3/8 - 8-1/8"	175	\$5,054	MOPD4H-8 1/8	1.32	11.0	184	\$7,630
	MOPD4-9 1/8	30-3/8 x 30-3/8 x 36	8-1/4 - 9-1/8"	180	\$5,250	MOPD4H-9 1/8	1.52	12.7	188	\$7,908
	MOPD4-10 1/8	30-3/8 x 30-3/8 x 36	9-1/4 - 10-1/8"	188	\$5,430	MOPD4H-10 1/8	1.68	14.0	194	\$8,184
	MOPD4-12	34-1/8 x 34-1/8 x 36	10-3/4 - 12"	218	\$6,446	MOPD4H-12	2.0	16.7	226	\$9,074


**NOTE:** All units are provided with 4" dia. swivel casters. Each tube dispenser holds approximately 72 plates or 36 bowls; CAPACITY MAY VARY depending on plate or bowl manufacturer. Dispensers are available for platters and square plates. Contact Factory - sample plate or tracing required. FREIGHT CLASS - 92.5.

 MOPD3/H SERIES	3-STACK NON-HEATED Field Adjustable					3-STACK HEATED Field Adjustable				
	NON-HEATED MODEL	DIMENSIONS L x W x H (INCHES)	NOMINAL CHINA RANGE	SHIP WT. (LBS.)	LIST PRICE	HEATED MODEL	KW	AMPS.	SHIP WT. (LBS.)	LIST PRICE
	MOPD3-5	36 x 15-1/8 x 36	3-1/2 - 5"	120	\$3,408	MOPD3H-5	.63	5.3	130	\$4,852
	MOPD3-5 3/4	36 x 15-1/8 x 36	5-1/8 - 5-3/4"	126	\$3,538	MOPD3H-5 3/4	.72	6.0	139	\$5,106
	MOPD3-6 1/2	36 x 15-1/8 x 36	5-5/8 - 6-1/2"	128	\$3,742	MOPD3H-6 1/2	.81	6.8	141	\$5,412
	MOPD3-7 1/4	36 x 15-1/8 x 36	6-7/8 - 7-1/4"	131	\$3,968	MOPD3H-7 1/4	.9	7.5	155	\$5,620
	MOPD3-8 1/8	44-5/8 x 16-1/8 x 36	7-3/8 - 8-1/8"	150	\$4,084	MOPD3H-8 1/8	.99	8.3	165	\$5,778
	MOPD3-9 1/8	44-5/8 x 16-1/8 x 36	8-1/4 - 9-1/8"	157	\$4,178	MOPD3H-9 1/8	1.14	9.5	173	\$6,050
	MOPD3-10 1/8	44-5/8 x 16-1/8 x 36	9-1/4 - 10-1/8"	161	\$4,364	MOPD3H-10 1/8	1.26	10.5	175	\$6,238
	MOPD3-12	50-1/4 x 18 x 36	10-3/4 - 12"	185	\$5,054	MOPD3H-12	1.5	12.5	200	\$6,948

ACCESSORIES


DESCRIPTION	SHIP WT. (LBS.)	PRICE
Modify height	-	+10%
220/240 volt operation (specify)	-	N/C
Stainless steel trays to convert PD-12 to cup dispenser	2	\$48
LB - Locking brakes (set of 2)	5	\$74
Stainless steel pre-heat tube covers		
	Size 5 to 7-1/4	2 \$210
	Size 8-1/8 to 12	4 \$250
Corner bumpers, 3" dia. (set of 4) (non-rotating)	6	\$82
Rotary bumpers, 4" dia. (set of 4)	8	\$158

TRAY & RACK DISPENSERS

 MCT SERIES	MOBILE CANTILEVER TRAY DISPENSER Field Adjustable				
	MODEL	DIMENSIONS L x W x H (INCHES)	MAXIMUM TRAY SIZE (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	MCT-1216	22 x 17 x 36	12-5/8 x 16-3/8	128	\$3,206
	MCT-1418	28 x 17 x 36	14-5/8 x 18-3/8	133	\$3,206
	MCT-1520	30 x 17 x 36	15-5/8 x 20-3/8	140	\$3,222
	MCT-1622	32 x 17 x 36	16-5/8 x 22-3/8	145	\$3,222
	MCT-1014	22 x 17 x 36	10-7/8 x 15	145	\$3,222
FREIGHT CLASS - 92.5.					

ACCESSORIES

DESCRIPTION	SHIP WT. (LBS.)	PRICE
Modify height	-	+10%
LB - Locking brakes (set of 2)	5	\$74
WB - Wrap around bumpers	8	\$418
ND - Napkin dispensers (set of 2)	5	\$308
Silverware dispenser		
SD - 6 hole - with nylon cylinders	25	\$784
SD - 8 hole - with nylon cylinders	25	\$864
SD - 10 hole - with nylon cylinders	30	\$1,024

 MCR SERIES	MOBILE CANTILEVER RACK DISPENSER Field Adjustable				
	MODEL	DIMENSIONS L x W x H (INCHES)	MAXIMUM TRAY SIZE (INCHES)	SHIP WT. (LBS.)	LIST PRICE
	MCR-1020	20 x 21 x 36	10-1/4 x 20-1/4	135	\$3,118
	MCR-2020	30 x 21 x 36	20-1/4 x 20-1/4	155	\$3,164
	FREIGHT CLASS - 92.5.				

ACCESSORIES

DESCRIPTION	SHIP WT. (LBS.)	PRICE
LB - Locking brakes (set of 2)	5	\$74
WB - Wrap around bumpers	8	\$418

NOTE: MCT & MCR units include (4 ea.) 4" dia. heavy duty swivel casters.

 <p><b>A. NAPKIN DISPENSER:</b> (STANDARD SIZE) NOTE: This size napkin dispenser is furnished as standard, constructed of stainless steel with stainless steel mounting bracket. Sold in pairs, one mounted on each side of the silverware holder. Capacity approximately 125 napkins 3-1/2" x 6-3/4", folded.</p>	 <p><b>B. CUSTOM SIZE NAPKIN HOLDER:</b> Constructed of stainless steel box shaped with open top, for bolting on to the ends of the silverware cylinder or pan holder. Designed to the dimensions you desire and sold in pairs.</p>	 <p><b>C. SILVERWARE CYLINDER HOLDERS:</b> Shall be constructed of stainless steel for plastic drop-in cylinders. Silverware cylinder holder shall be attached to the tray dispenser by 1/2" diameter stainless steel rod. Available to hold 6, 8 or 10 plastic cylinders; specify quantity when ordering. Silverware holders are designated by adding the prefix "S" to the model number along with the size required i.e. S6, S8, S10.</p>	
 <p><b>D. SILVER PAN DISPENSER:</b> Silverware dispensers shall be of welded stainless steel construction with sloping top fitted with removable silverware pans. Dispensers are available with 3, 4, or 5 pans. Specify 1/3 or 1/4 size pans: 3 pans 4 pans 5 pans  Optional cover. Plexiglas half cover running full length of dispenser.</p>	 <p><b>E. SILVERWARE CYLINDERS:</b> Constructed of plastic or stainless steel. When ordering silverware holders, plastic cylinders are furnished. If stainless steel cylinders are required instead of plastic cylinders, specify: Stainless steel cylinders in lieu of plastic.</p>	 <p><b>F. OVERSHELF:</b> Shall be stainless steel, turned up 1" on all four sides with a 1/4" radius cove. End corners shall be open permitting easy cleaning of the shelf. Overshelf is permanently attached above the unit by a 1/2" diameter stainless steel rod.  <b>NOTE:</b> Maximum size, at the price stated on next page, is 12" x 34". Specify size of shelf when ordering.</p>	
 <p><b>G. PLASTIC LAMINATE PANELS:</b> Plastic laminate side panels are available on most enclosed cabinet models. Prices on application.</p>	 <p><b>H. PUSH PULL HANDLE:</b> Constructed of 1" diameter, type 18-8 stainless steel tubing. Push pull handle mounted on narrowest side of the cabinet.</p>	 <p><b>I. POLYURETHANE CASTERS:</b> Heavy duty 4" diameter swivel with polyurethane tires.</p>	 <p><b>J. STAINLESS STEEL LEGS:</b> A 6" high, adjustable to 7-3/4", stainless steel leg is available to fit all LEVELMATIC dispensers, in lieu of casters.</p>



ACCESSORIES

CODE	DESCRIPTION	SHIP WT. (LBS.)	PRICE
A.	ND - Napkin dispensers (2 ea.)	5	\$308
B.	Custom size napkin holder	-	P.O.A.
C.	Silverware cylinder holders		
	SD - 6 hole dispenser	25	\$784
	SD - 8 hole dispenser	25	\$864
	SD - 10 hole dispenser	30	\$1,024
D.	Silver pan dispensers (specify 1/3 or 1/4 size)		
	3 pan size	30	\$996
	4 pan size	35	\$1,136
	5 pan size	40	\$1,366
E.	Silverware cylinders		
	Plastic cylinders, each	1/2	\$18
	Stainless steel cylinders, each	1	\$40
	Stainless steel cylinders in lieu of plastic, each	1	\$30
F.	Overshelf - (specify size)	15	\$542
G.	Plastic laminate panels	-	P.O.A.
H.	Push pull handle	3	\$390
I.	Polyurethane casters in lieu of standard casters		
	4" diameter (set of 4)	5	\$268
	5" diameter (set of 4)	5	\$308
J.	Stainless steel legs in lieu of casters	-	P.O.A.

**NOTE:** On items marked Price on Application (P.O.A.), contact factory for pricing.

*ALL PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.*



DESCRIPTION	EACH	-2	-3	-4	-5	-6
MODULAR SERVING UNITS: (INF) (BL) (CA)						
Modify height - (INF/BL/SS/CA under 34") add	\$410	-	-	-	-	-
BMM - 1000 - (no height modification available)	-	-	-	-	-	-
BL - units @ 34" high - use 4" casters	NC	-	-	-	-	-
Backsplash, S/S, 6" high - (1#/foot) add per foot	\$230	-	-	-	-	-
OT - Offset cart top - 1-3"	\$1,432	-	-	-	-	-
U-SCT - U-shaped cutout in unit	\$1,130	-	-	-	-	-
CLF - Cart leg filler (CA)	\$210	-	-	-	-	-
MS - Master on/off switch - (all hot units)	\$410	-	-	-	-	-
ERS - Modular unit electrical raceway system	\$1,844	-	-	-	-	-
OUTLET BOX IN BASE OF UNIT						
JBC - 4" x 4" (120 Volt) with cord - refrig. & utility units	\$618	-	-	-	-	-
JBH - 4" x 4" (120V/240V) with cord - hot units (4-prong)	\$1,028	-	-	-	-	-
REPLACEMENT FRONT PANELS						
INF - Units	\$288	\$300	\$390	\$492	\$672	\$878
CA - Units	\$184	\$212	\$268	\$352	\$498	\$658
BL - Units (plastic laminate with trim)	\$230	\$240	\$312	\$394	\$538	\$702
Custom graphic package - (Contact Factory)	-	-	-	-	-	-
PLASTIC LAMINATE PANELS - ADDITIONAL COLOR UPCHARGE						
ALC-2 - (per unit)	\$618	-	-	-	-	-
ALC-3 - (per unit)	\$824	-	-	-	-	-
ALC-4 - (per unit)	\$1,100	-	-	-	-	-
POLANE PAINTED PANELS - SPECIAL COLORS						
Color chip required - 5 gallons minimum	\$408	-	-	-	-	-
TRAY SLIDES & WORK SHELVES, ETC						
Work shelf (10" W) - same price as 12" SLS or TS Mitered end/chamfered - each	\$352	-	-	-	-	-
Computer shelf - S/S bottom mid. & comp. slide out shelf	\$2,454	-	-	-	-	-
ADDITIONAL						
PCS - 7 to 10 ft. power cord	\$68	-	-	-	-	-
CW - Cord wrap - z-bar	\$146	-	-	-	-	-
SP - Levin surge protector with (6) outlets, 6-foot cord	\$452	-	-	-	-	-
Labor to install special drop-in units:	\$618	-	-	-	-	-
S/S sink, griddle, charbroiler, fryer (plus add counter cutouts for top & apron) Labor to install customer's food guard	\$618	-	-	-	-	-
C-PKG Correction package - (per unit)	\$562	-	-	-	-	-
DIUD - S/S drop-in urn drain, 7" wide x length		WU-24	WU-30	WU-36	WU-48	WU-60
		\$786	\$1,068	\$1,352	\$1,562	\$1,802
GFI - Receptacle	\$588	-	-	-	-	-
4" clearance for floor box	\$626	-	-	-	-	-
Flanged feet (4 per set)	\$392	-	-	-	-	-
Leg extension	\$66	-	-	-	-	-
Corian for modular units - (Contact Factory)	-	-	-	-	-	-



## MODIFICATION PRICE LIST

DESCRIPTION	EACH	-2	-3	-4	-5	-6
<b>SPECIAL ACCESSORIES</b>						
PRC – Glass ends framed in S/S (set of 2)	\$824	-	-	-	-	-
PRC – Special – 6" H x 6" W with glass front	-	\$1,208	\$1,398	\$1,652	\$2,074	\$2,554
DDC – S/S frame with glass	\$408	-	-	-	-	-
<b>DROP-IN MODIFICATIONS</b>						
WIH – Built-in pan for INF, SS & BL – units (per pan)	\$1,398	-	-	-	-	-
WFB – Perforated false bottom – raised – per leg	\$68	-	-	-	-	-
WCM & WIH units – S/S outer case for single pan unit	\$408	\$496	\$560	\$728	\$814	\$998
Painted compressor housing	\$252	-	-	-	-	-
WIC-7	\$4,776	-	-	-	-	-
WICD-7	\$5,158	-	-	-	-	-
WCMD-C-7 (not UL, has NSF custom labels)	\$9,738	-	-	-	-	-
12" wide flat overshef, S/S 12" H on 1" x 1" S/S legs	\$330	(per foot)	-	-	-	-
Painted panels	\$398	-	-	-	-	-
RMHP-X – Hot/cold pan (less compressor)	-	\$7,922	\$8,670	\$9,530	\$10,364	\$10,834
WCMHP-X – Hot/cold pan – non NSF-7 (less compressor)	-	\$7,394	\$7,964	\$8,670	\$9,454	\$10,368
<b>POWDER COATING - FOR MODULAR UNITS &amp; ACCESSORIES</b> (Super Durable Polyester Powder Coating Material)						
CAFT (utility units – stainless top & frame)	-	\$260	\$318	\$362	\$426	\$516
CA (other than utility units)	-	\$216	\$258	\$282	\$324	\$382
PRC – Protector case	-	\$126	\$138	\$166	\$208	\$228
DD – Double deck display	-	\$402	\$442	\$650	\$706	\$750
DDC – Double deck display	-	\$302	\$356	\$468	\$536	\$588
DDC – Food guard frame only	\$144	-	-	-	-	-
12" wide flat overshef, S/S 14" H on 1" x 1" S/S legs	\$342	(per foot)	-	-	-	-
Powder coated frames (all)	\$512	-	-	-	-	-

SPECIAL SIZE MODULAR UNITS & ACCESSORIES		
DESCRIPTION	EACH	
Modular serving units: (INF) (CA) (BL)	-7	-8
	105"	118-3/4"
CAFT - Utility unit	\$5,802	\$6,632
SL - tray slide, 11-1/4" wide, S/S, 2-rail	\$1,350	\$1,524
SLS - tray slide, 11-1/4" wide, S/S, solid, ribbed	\$2,398	\$2,646
SLF - tray slide, plastic laminate with S/S runners	\$2,456	\$2,786
SH - work shelf, 8" wide, S/S	\$1,746	\$1,950
OSDC - buffet canopy, dual service, w/fluorescent lights	\$4,306	\$5,452
US - undershelf, S/S, removable	\$1,602	\$1,778
RPS - removable sliding doors	\$2,304	\$2,590

## NOTES

[illegible]

## NOTES

[illegible]

## NOTES

[illegible]

MANUFACTURERS' REPRESENTATIVE LOCATOR



TERRITORY	COMPANY/ADDRESS
WASHINGTON, OREGON, IDAHO, ALASKA, CANADA (BC ONLY), HAWAII, MONTANA	SCHULZ ASSOCIATES 711 KIRKLAND AVENUE KIRKLAND, WA 98033 (425) 828-4557
NORTHERN CALIFORNIA, NEVADA (EXCEPT CLARK CO.)	RESTAURANT EQUIPMENT PROFESSIONALS 26046 EDEN LANDING ROAD, SUITE 3 HAYWARD, CA 94545 (510) 785-5566
SOUTHERN CALIFORNIA, NEVADA (CLARK CO. ONLY)	HODAK SALES 18281 GOTHARD STREET, SUITE 112 HUNTINGTON BEACH, CA 92648 (714) 898-1003
COLORADO, UTAH, WYOMING, NEW MEXICO, EL PASO, TEXAS, ARIZONA	INTERMOUNTAIN FOOD EQUIPMENT 301 W. DEER VALLEY RD, SUITE 8 PHOENIX, AZ 85027 (623) 434-1113
MINNESOTA, NORTH DAKOTA, SOUTH DAKOTA	RITTEN ASSOCIATES 4950 LINCOLN DRIVE EDINA, MN 55436 (952) 938-5170
MISSOURI, KANSAS, IOWA, NEBRASKA, SOUTH ILLINOIS (INCLUDING ROCK ISLAND CO.)	HEARTLAND REPS 1305 REGENCY DRIVE KEARNEY, MO 64060 (888) 486-1253 EXT 12
TEXAS, OKLAHOMA, LOUISIANA, ARKANSAS, MISSISSIPPI, WEST TENNESSEE (EXCEPT EL PASO CO.)	LMS ASSOCIATES 205 WEST DIVISION, SUITE A9 ARLINGTON, TX 76012 (817) 548-7575
ILLINOIS (NORTH & CENTRAL, EXCEPT ROCK ISLAND CO.), INDIANA (LAKE CO. ONLY)	THE JAY MARK GROUP, LTD 175 LIVELY BLVD. ELK GROVE VILLAGE, IL 60007 (847) 545-1918
WISCONSIN	ANDERSON FOODSERVICE SOLUTIONS N8 W 22520 JOHNSON DR., SUITE K WAUKESHA, WI 53186 (262) 436-0102
GEORGIA, ALABAMA, EAST TENNESSEE	CUTTING EDGE MARKETING AGENTS 109 SMOKEHILL LANE, SUITE 130 WOODSTOCK, GA 30188 (770) 694-6390

TERRITORY	COMPANY/ADDRESS
FLORIDA	PREFERRED MARKETING AGENTS, INC. 1519 SOUTHEAST 8TH STREET DEERFIELD, FL 33441 (954) 943-1661
OHIO, KENTUCKY, WEST VIRGINIA, WESTERN PENNSYLVANIA (EXCEPT PANHANDLE)	KOEHLER-BORDEN & ASSOCIATES 7600 FREEDOM AVENUE N.W. NORTH CANTON, OH 44720 (800) 356-1151
MICHIGAN, INDIANA (EXCEPT LAKE CO.)	ACOSTA SALES & MARKETING 12625 E. GRAND RIVER BRIGHTON, MI 48116 (810) 225-7755
NORTH CAROLINA, SOUTH CAROLINA	CAROLINA MARKETING 130-A WING HILL DRIVE LEXINGTON, SC 29072 (803) 951-2257
MASSACHUSETTS, RHODE ISLAND, CONNECTICUT, NEW HAMPSHIRE, MAINE, VERMONT	B. F. BUTKEVICH ASSOCIATES P.O. BOX 73 AVON, MA 02322 (508) 584-1818
UPPER NEW YORK STATE	LAKE EFFECT SALES & MARKETING 3840 E. ROBINSON RD, SUITE 314 AMHERST, NY 14228 (716) 731-1736
EAST PENNSYLVANIA, SOUTHERN NEW JERSEY, DELAWARE	4 STAR REPRESENTATIVES 4 NESHAMINY INTERPLEX DRIVE BUILDING FOUR, SUITE 109 TREVOSSE, PA 19053 (267) 522-8991
METROPOLITAN NEW YORK, NORTHERN NEW JERSEY	CLEMENTS-STELLA-GALLAGHER MARKETING 53 DANES STREET PATCHOGUE, NY 11772 (631) 758-5316
MARYLAND, VIRGINIA, WASHINGTON, D.C., WEST VIRGINIA (PANHANDLE)	SQUIER ASSOCIATES, INC 14650-H ROTHGEB DRIVE ROCKVILLE, MD 20850 (301) 762-3710
INTERNATIONAL	DORIAN AMERICA 2 GANNETT DRIVE, 4TH FLOOR WHITE PLAINS, NY 10604 (914) 697-9800

ORDER INFORMATION



ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

ALL orders are subject to acceptance at our office and orders so accepted are not subject to cancellation. Claims for damage and shortage, or other causes must be made within 10 days of receipt of goods. Modifications and/or changes from standard specifications and design are available; prices on request.

1. ORDER INFORMATION

TERMS: Net 30 days  
CREDIT INFORMATION REQUIRED ON FIRST ORDER.

2. SHIPPING INFORMATION

Prices are F.O.B. Miami, FL – Prices for export packing and crating on request.

3. DAMAGED GOODS (THIS IS IMPORTANT)

DO NOT ACCEPT these goods from the transportation company unless they are in perfect condition.  
IF CRATE IS DAMAGED – refuse the shipment or have the carrier make a proper notation on your bill of lading. Make the same notation on the copy of bill of lading that you sign. Call the transportation company at once for inspection.  
IF CONCEALED DAMAGE is discovered, call the carrier at once. DO NOT remove or destroy packaging in either case until agent makes an inspection and writes a report. UNLESS these precautions are taken, all goods repaired or replaced because of damage will be at YOUR EXPENSE. We cannot be held liable for carelessness or negligence of transporting agency employees – these goods left our possession accepted and signed for by the agent, IN PERFECT CONDITION.  
All goods shipped will be at the risk of loss to the buyer and title thereto will pass to the buyer at time of delivery to common carrier.

4. RETURN OF MERCHANDISE

There will be a 15% minimum restocking charge on all standard drop-ins, and a 25% minimum on all standard carts, only after written authorization has been obtained from our main office.

Due to Atlas Metal’s policy of continually improving its products, the models and specifications shown in this catalog are subject to change without notice.

LIMITED WARRANTY  
EFFECTIVE 03/01/20

For the period of one year from the date of installation, but not to exceed eighteen (18) months, all Atlas Metal Industries, Inc. products are guaranteed to the original purchaser to be free from defects in material and construction, under normal use and care. During this one year warranty period Atlas will repair or replace any defective parts or portion thereof returned to Atlas by the original purchaser which Atlas determines was defective due to faulty material or workmanship. All warranty labor must be approved with a written authorization number being issued by the factory prior to the actual work being done. (NO EXCEPTIONS) The factory has the right to refuse any labor related charges, even though authorization was given, that are not covered under warranty. In that case the customer is responsible for payment. For a period of one year from the date of installation Atlas will pay labor, crating and reasonable related costs incurred in the removal of the defective unit shipped to Atlas. Freight costs for defective unit will be covered by Atlas Metal, Inc. and all defective parts must be returned to the factory prepaid for evaluation. The warranty includes travel time to portal, not to exceed 100 miles round trip, or two hours total travel time. All warranty labor must be performed during regular work hours. Overtime premiums will be charged to the owner. The warranty does not cover routine maintenance activities, any failure that results from lack of, or improper equipment maintenance.

The refrigeration warranty is for a twenty (20) month time period and includes replacing the compressor and any necessary parts on a no-charge basis, provided the damage to the compressor and parts was not caused by the customer or end user. This warranty does not apply to any equipment or any part thereof, which has been subjected to shipping damage, improper voltage, alteration, abuse or misuses, and does not cover loss of food, other products, or damage to property due to mechanical or electrical malfunction.

THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. SELLER DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY OF THE GOODS OR THE FITNESS OF THE GOODS FOR ANY PURPOSE AND BUYER AGREES THAT THE GOODS ARE SOLD “AS IS.”

For all parts please go to  
www.partstown.com customerservice@partstown.com 1-800-438-8898



**ATLAS METAL**  
*making metal personal*

[www.atlasfoodserv.com](http://www.atlasfoodserv.com)  
800.762.7565